

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME				
 CENTRE NUMBER			CANDIDATE NUMBER	
AGRICULTURE				5038/01
Paper 1				May/June 2007
				2 hours
Candidates answ	wer See	ction A on the Question P	Paper.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES

Section A

Answer **all** questions. Write your answers in the spaces provided on the Question Paper. You are advised to spend no longer than 1 hour on Section A.

Section B

Answer any **three** questions.

Write your answers on the separate Answer Booklet/Paper provided.

Enter the numbers of the Section B questions you have answered in the grid below.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

t	For Examiner's Use								
	Section A								
t	Section B								
	Total								


This document consists of **15** printed pages and **1** blank page.



Section A

Answer all the questions.

1 Fig. 1.1 shows a grass spikelet (flower).





(a) (i) Name the structures A, B and C.
A _______
B _______
C ________ [3]
(ii) The grass flower is wind-pollinated. State two ways in which the diagram shows that the grass flower is adapted for wind pollination.
1 _______
2 _______
[2]

https://xtremepape.rs/

(b) Fig. 1.2 shows a maize plant.




Fig. 1.2

(i) What is the function of structure X?
[1]
(ii) Apart from size, give one difference between the flowers of maize and the grass flower in Fig. 1.1.
[1]
[1]
[1]
[1]

2 (a) Camspray is a selective herbicide used to kill broad-leaved weeds.



The crops listed in Table 2.1 are growing with broad-leaved weeds. Complete Table 2.1 for each crop to show whether Camspray should be used to kill weeds. Give a reason for each decision.

Сгор	Should the herbicide be used?	Reason
a growing cereal crop		
grasses and legumes		
grown as pasture		

Table 2.1

(b) Fig. 2.1 shows a type of perennial grass that grows by means of rhizomes (underground stems). A piece of rhizome that has a node can produce shoots and roots and develop into a new plant.

5




Fig. 2.1

(i) Suggest **two** reasons why this grass would be suitable for use where animals graze.

	1
	2
	[2]
(ii)	This grass is a weed on land that is used for growing crops. Explain why a systemic herbicide would be more effective than hoeing, as a means of controlling this grass.
	[3]
	[Total: 8]

(a) (i) Name a plant disease caused by a virus.
[1]
(ii) State one way to recognise that a plant is infected by this virus.
[1]
(iii) Explain how spraying plants with insecticide may help to control virus diseases.
[2]

- (b) Insect pests in crops are often controlled by spraying the plants with insecticides.
 - (i) Fig. 3.1 shows a symbol seen on the labels of some insecticides.



© Chemical Industries Association Ltd.

Fig. 3.1

What does this symbol mean?

[1]

6

3

Fig. 3.2 shows a label from an insecticide spray.

<section-header><text><section-header><section-header><image/><section-header><section-header><section-header><section-header><text><text><text><text><text></text></text></text></text></text></section-header></section-header></section-header></section-header></section-header></section-header></text></section-header>									
 FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE Attes of use Attes of use Attes of use 100cm³ UCLESPRAY in 200 litres of water. Apply to foliage until run-off. Apply when aphids are first seen. Repeat at 10-14 day intervals. Harvesting Interval Alow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. 1 Wear protective clothing. A keep livestock out of treated areas for 7 days. Do not contaminate ponds and waterways. 	UCLESPRAY								
 A series of the original of the origi	Systemic insecticide for the control of aphids.								
 100cm³ UCLESPRAY in 200 litres of water. Apply to foliage until run-off. Timing Apply when aphids are first seen. Repeat at 10-14 day intervals. Harvesting Interval Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways. 	FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE								
 100cm³ UCLESPRAY in 200 litres of water. Apply to foliage until run-off. Timing Apply when aphids are first seen. Repeat at 10-14 day intervals. Harvesting Interval Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways. 									
until run-off. Timing Apply when aphids are first seen. Repeat at 10-14 day intervals. Harvesting Interval Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways.	Rates of use								
 Apply when aphids are first seen. Repeat at 10-14 day intervals. Harvesting Interval Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways. 									
 Harvesting Interval Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways. 	Timing								
Allow a minimum of two weeks between the last application of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways.	Apply when aphids are first seen. Repeat at 10-14 day intervals.								
of UCLESPRAY and harvesting the crop. PRECAUTIONS 1 Wear protective clothing. 8 Keep livestock out of treated areas for 7 days. 9 Do not contaminate ponds and waterways.	Harvesting Interval								
 Wear protective clothing. Keep livestock out of treated areas for 7 days. Do not contaminate ponds and waterways. 									
8 Keep livestock out of treated areas for 7 days.9 Do not contaminate ponds and waterways.	PRECAUTIONS								
9 Do not contaminate ponds and waterways.	1 Wear protective clothing.								
	8 Keep livestock out of treated areas for 7 days.								
	9 Do not contaminate ponds and waterways.								
10 Do not apply at flowering stage.	10 Do not apply at flowering stage.								



(ii) How much of this spray should be mixed into 10 litres of water? (Show your working.)


.....

(iii) The spray is to be used on a crop of beans. Explain why the spray should not be applied at the flowering stage of this crop.

[2]


[2]

4 Fig. 4.1 shows a fetus developing in the uterus of a mammal.





(a) (i) Name the parts labelled A, B, C and D.



(b) Table 4.1 shows three periods of time in the reproductive cycle of a cow.

Table 4.1

oestrus cycle	duration of heat	gestation

Complete the table by writing the following figures in the correct places:

18 hours 21 days 283 days (c) At which point, in the breeding cycle of a mammal, is colostrum produced?

[1]

[Total: 9]

- 5 In cattle, polled (no horns) is dominant over horned. A polled bull is mated with a herd of polled cows. P represents the allele for polled, p represents the allele for horned.
 - (a) What is an allele?

[1]

(b) (i) Some of the calves produced had horns. Draw a genetic diagram to show how this occurs.

[4]

(ii) What percentage of the calves produced would be expected to have horns?

[1]

[Total: 6]

____%

6 Fig. 6.1 shows the valve positions and direction of the piston during part of the four-stroke cycle in a petrol engine.





Fig. 6.1

(a)	(i)	On the diagram , label:
		1 the inlet valve
		2 the exhaust (outlet) valve
		3 the spark plug
		4 the piston
		[3]
	(ii)	Which stroke is shown in Fig. 6.1?
		[1]
	(iii)	Describe what is happening in the cylinder during this stroke.
		[3]

(b) Fig. 6.2 shows a tractor on a slope. **X** marks its centre of gravity.






(i) Use the diagram to explain why the tractor would overturn.

[2]
 (ii) Suggest one way in which the design of the tractor could be changed to make it less likely to overturn.
 [1]
 [Total: 10]

[3]



12



(a) Name the processes occurring at A, B and C.

Α	 	
в	 	
c	 	

(b) Fig. 7.2 shows a root hair cell in the soil.




Fig. 7.2

(i) Explain how root hair cells increase the amount of water that a plant can absorb from the soil.

[1]

nto a root
[1]
e soil and
[1]
[Total: 6]

Section B

14

Answer any three questions. Write your answers on the separate answer paper provided.

8 A small garden is divided into three beds. A rotation system is used to grow three different vegetables in the garden. One of the vegetables is a legume. (a) (i) Suggest three suitable vegetables that could be grown. [1] (ii) Explain the importance of using a legume in the rotation. [3] (iii) Use diagrams to illustrate the rotation pattern over three years. Give reasons for the order of crops that you have shown. [4] (iv) Explain why crops should be rotated instead of being grown in the same bed each year. [4] (b) In many cities people are being encouraged to grow vegetables on pieces of waste ground between buildings and alongside roads. Suggest why it is important to encourage people to grow food for themselves on these small pieces of land. [3] [Total: 15] 9 (a) Mineral particles in soil are formed when rocks are broken down. Describe the ways in which rocks are broken down. [10] (b) Humus, air, water and soil organisms are all part of the soil. Outline the importance of **each** of these to the growth of plants. [5] [Total: 15] **10** (a) For a type of farm livestock that you have studied: (i) state the type of livestock; (ii) name the main product for which the livestock is kept; (iii) describe the way in which this product is processed and stored. [5] (b) Describe the conditions that should be provided by livestock housing. [6] (c) Describe the importance of: (i) quarantine for newly imported stock; (ii) isolation for animals that may be sick. [4] [Total: 15]

© UCLES 2007

11	Water	is needed	for	human	and	livestock	consumption,	for	washing	machinery	and	livestock
	housing	g and for ir	rigat	tion.								

(a) (i)	List three sources of water that may be available on a farm.	[3]
(ii)	For each source of water that you have listed, state a use that it is suitable for, gin reasons for your answer.	iving [6]

(b) Describe one way in which a farmer can collect and store water.

Explain the importance of water storage and conservation. [6]

[Total: 15]

- 12 Outline the processes and importance, in plants, of:
 - (a) photosynthesis;
 - (b) transpiration;
 - (c) translocation.

[15]

[Total: 15]

https://xtremepape.rs/

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.