## MARK SCHEME for the October/November 2006 question paper

## 5090 BIOLOGY

**5090/06** Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme			llabus	Paper	
		GCE O LEVEL - OCT/NOV 2006	5	5090	6	
1 (a)	(1)	A ? P correct on Fig. 1.1 onthor ? ou	ula algority indigate	d ·		
1 (a)	(i) (ii)	A & B correct on Fig. 1.1 - anther & ovule clearly indicated ; A & B correct on Fig. 1.2 - anther & ovule clearly indicated ;				
	(ii) (iii)	eu,				
	(iii)					
	anther / stamen / andrecium ; pollen (production) / male gametes ; carpel / ovule / ovary / gynecium / pistil ;					
		ovule / female gamete / embryo sac formation AW ;				
		R: ovum / ova / egg	· · · · · · · · · · · · · · · · · · ·			
		A: second part alone if first is not nons	ense, or if first is t	Diank.		
		A: ovule etc. once only				
	(iv)	Look for related contrasting statement	S.			
		Fig. 1.1	Fig. 1.2			
		large flower / petals	smaller / none ;			
		petals & sepals	no perianth AW	;		
		2 (visible) / fewer stamens	3 / more stame	ns ;		
		stamens enclosed / non-pendulous	pendulous / sta	mens outside	;	
		long(er) filaments	shorter filament	S;		
		single stigma	two stigmas ;			
		forked / non-feathery stigma	feathery stigma	; R: sticky		
		OVP e.g. nec	tary ;		[up to	
(b)	(i)	By insects / bees ; R: animals				
	(ii)	(They are attracted by) (large) qualifie	d petals ;			
	stamens & stigmas situated to give & receive pollen from insect AW					
		AVP e.g. suitable ref. pollen grains ;			[up to	
	(iii)	scent ; colour ; nectar ; guide lines ;			[up to	
	Б <i>і</i>					
(c)	Protandry ; protogyny ; single sex flower ;					
	AVV	W e.g. organ removed. Ref. position of parts of flower ;			· · · · ·	
					[Total: '	

Page 3		Mark Scheme	Syllabus	Paper
		GCE O LEVEL - OCT/NOV 2006	5090	6
2 (a)	(i)	Ref. thin section with only the one hair / ref. magni	fication ;	[1
(ii)		Lubricates / oils / makes supple / waterproofs hair	[1	
	(iii)	Line 'H' clearly to part of follicle ;		[1
	(iv)	Line 'M' to muscle on right of hair shaft. ;		[1
(b)	(i)	Coils of tube cut across AW ;		[1
	(ii)	<u>mitosis</u> ;		[1
(c)	(i)	measure equal volumes of hot water into both cup	s ;	
		record temperature ;		
		ref. lids ;		
		regular intervals / every 2 (-5) min ;		
		plot results on graph ;		
		AVP e.g. digital / computer link etc. ;		
		[MAX 2 for 1 beaker only]		[up to 3
	(ii)	use 2 thermometers / 2 expts etc. ;		
		better timing ;		
		replication <i>I</i> repeats ;		
		use stirrer ;		
		AVP ;		[up to 2
		R: ref. control		
				[Total: 11

Page 4	Mark Scheme	Syllabus	Paper
	GCE O LEVEL - OCT/NOV 2006	5090	6
3 (a)	Graph marks:		[4]
	1. x axis labelled, with units 'time / h(ours)';		
	2. y axis labelled, with units 'CO <sub>2</sub> conc. / a.u.';		
	3. accurate plotting – through points		
	4. ruled connecting lines / smooth curve thro' po	oints	
	Reversed axes: A: points 3 & 4 only		
	Bar graph: A: points 1 & 2 only		
(b)	(i) Carbon dioxide (used up) ;		
	in photosynthesis ;		
	during (day)light period ;		[up to 2]
	If ref. respiration = 0 for section (b)(i)		
	(ii) in no / poor light / night ;		
	respiration ;		
	exceeded photosynthesis ;		[up to 2]
(c)	starch:*		
	leaf in boiling / <u>hot</u> water ; R: boiled water		
	(decolourise) in ethanol ;		
	(dip / soften) in <u>water</u> ;		[up to 2]
	add iodine (solution) ;		[1]
	reducing sugar:*		
	grind / crush / scrape leaf – form solution ;		
	add Benedict's ; A: Fehlings R: copper sulphate		
	[If non-reducing test started do not award Benedic	ct's mark]	
	heat in water-bath ;		[up to 3]
	*2 max if starch / R.S. added		
			[Total: 14]