


UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



BIOLOGY 5090/31

Paper 3 Practical Test

October/November 2010

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer both questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
Total	

This document consists of 7 printed pages and 1 blank page.

DC (SHW 00478 5/09) 15831/4 © UCLES 2010



[Turn over

Read the whole of the question paper before you begin.

For Examiner's Use

Set up the investigation in Question 1 then go on to Question 2 while you are waiting. Leave at least 15 minutes to complete Question 1 before the end of the examination.

- You are required to investigate the effect of three different concentrations of a solution on strips of potato tissue.
 - (a) Remove the potato tissue from the solution and blot it gently with the paper towel to remove excess liquid.
 - Cut six strips of potato exactly 70 mm long by approximately 10 mm wide.
 - Label three dishes A, B and C, then place two potato strips in each.
 - Add solutions A, B and C to the appropriate labelled dish, ensuring that the potato strips in each dish are covered by the solution.
 - Note, in Table 1.1, the time when the solutions were added.

Leave at least 30 minutes before returning to complete this question.

Carry on with Question 2 while you wait.

Then:

- (i) Remove the strips from solution **A**, blot them gently.
 - Note the time in Table 1.1.
 - Measure their lengths and record them in Table 1.1.
 - Repeat this procedure for the strips in B and C.

(ii)	Suggest why two strips were used, rather than one, in each solution.	For Examiner's Use
(iii)	Explain how your observations do, or do not, support this suggestion.	
(111)		
	[2]	
(iv)	Complete Table 1.1.	


Table 1.1

solution	concentration /mol per dm ³	time solution added	initial lengths /mm	mean length /mm	time removed from solution	final lengths /mm	mean length /mm	change in length /mm
A	0.8		70 and 70	70		and		
В	0.4		70 and 70	70		and		
С	0.1		70 and 70	70		and		

[4]

			•		axes	proviaea,	ΟŢ	mean
length against co	oncentra	tion of s	olution.					
				.	length against concentration of solution.	U 1 '	• • • • • • • • • • • • • • • • • • • •	information in Table 1.1 draw a graph, on the axes provided, of length against concentration of solution.

For Examiner's Use



[5]

(ii)	From your graph, determine the concentration of the solution at which there would
	be no change in mean length of potato strip.

																		_	 _	
																		Π)	

(iii)	Explain ¹	the significa	nce of this	concentration.

[3]

(c) Suggest three ways in which this investigation could be improved.

1	
2	
	•••••
3	
	[0]
	[3]

[Total: 20]

2 • Using forceps, place specimen **X** on the microscope slide.

For Examiner's Use

[6]

- Add two drops of the liquid in which specimen X was provided, to the specimen on the slide.
- Rest the cover glass on the specimen.
- Observe specimen **X** carefully, using the hand lens.
- (a) (i) Make a large, labelled drawing of specimen X.

(ii)	Suggest two ways in which the addition of the liquid to the slide made it easier to see specimen ${\bf X}$.
	1
	2
(iii)	Calculate the magnification of your drawing. Show all working clearly.
	measurement across drawing
	equivalent measurement of specimen X.

magnification = [4]

(b) Fig. 2.1 shows a different member of the same group of organisms as specimen ${\bf X}$.






Fig. 2.1

(i)	List four visible features that are the same in both specimen X and the specimen in
	Fig. 2.1.

1		 	
2		 	
2			
J	•••••	 •••••	
4			[4

(ii) Complete Table 2.1 with four pairs of differences that are **visible** in the specimens.

For Examiner's Use

Table 2.1

	feature as seen in specimen X	same feature as seen in Fig. 2.1
1		
2		
3		
4		

[4]

[Total: 20]

Remember to check that you have completed Question 1.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.