

#### CHEMISTRY

Paper 1 Multiple Choice

5070/12 May/June 2012 1 hour

Additional Materials:	Multiple Choice Answer Sheet
	Soft clean eraser
	Soft pencil (type B or HB is recommended)

### READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

605930

N

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.


### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16.

This document consists of 13 printed pages and 3 blank pages.



1 The diagram shows some of the changes of state.



Which statement is correct?

- A Although the change is not shown on the diagram, a gas can change directly to a solid.
- **B** The changes 1 and 3 involve particles moving closer together.
- **C** The changes 2 and 4 involve particles moving further apart.
- **D** The changes 3, 4 and 5 all involve the release of energy.
- 2 Which gas is not obtained industrially by fractional distillation?
  - **A** ammonia
  - B argon
  - C nitrogen
  - D oxygen
- **3** When dilute hydrochloric acid is added to a white powder a gas is produced.

The solution remaining is tested separately with small volumes of both aqueous ammonia and aqueous sodium hydroxide.


A white precipitate is produced in both tests.

What is the white powder?

- **A** aluminium oxide
- B calcium oxide
- **C** copper(II) carbonate
- D zinc carbonate

**4** A mixture of two substances is spotted onto a piece of chromatography paper.


The paper is inserted into a beaker containing a liquid.



For separation of the substances to occur the spot of mixture must

- **A** be placed so that the spot is just below the level of the liquid.
- **B** be soluble in the liquid.
- **C** contain substances of the same  $R_{\rm f}$  values.
- **D** contain substances that are coloured.
- **5** Which reagent could be used to distinguish between dilute nitric acid and dilute hydrochloric acid?
  - A aqueous barium chloride
  - **B** aqueous silver nitrate
  - **C** aqueous sodium hydroxide
  - **D** copper(II) carbonate
- 6 What is the structure of sand?
  - A a macromolecule
  - **B** an ionic lattice
  - **C** a polymer
  - **D** a simple molecule
- **7** Pentane, C<sub>5</sub>H<sub>12</sub>, has a higher boiling point than propane, C<sub>3</sub>H<sub>8</sub>. Which statement explains the difference in boiling point?
  - A Carbon-carbon single bonds are stronger than carbon-hydrogen bonds.
  - **B** Pentane has more covalent bonds to break.
  - **C** Pentane does not burn as easily as propane.
  - **D** The forces of attraction between pentane molecules are stronger than those between propane molecules

8 In which set of apparatus will the bulb be least bright?




9 Four substances have the following electrical properties.

substance	property
W	does not conduct under any conditions
х	conducts only in aqueous solution
Y	conducts in both the molten and solid states
Z	conducts in both the molten and aqueous states

### What are these four substances?

	W	Х	Y	Z
Α	HC1	S	NaC1	Pb
в	Pb	HC1	NaC1	S
С	S	HC1	Pb	NaC1
D	S	NaC1	HC1	Pb


**10** The energy profile diagram shows the pathways for a reaction with and without a catalyst. Which energy change is the activation energy for the catalysed reaction?



Reaction pathway

- **11** Which statement about conduction of electricity is correct?
  - **A** Electricity is conducted in aqueous solution by electrons.
  - **B** Electricity is conducted in a metal wire by ions.
  - **C** Electricity is conducted in a molten electrolyte by electrons.
  - **D** Electricity is conducted in an acid solution by ions.

**12** When the rubber bulb of the dropper in the diagram is squeezed, the aqueous silver nitrate drops into the aqueous sodium chloride and a white precipitate of silver chloride is formed.



What happens to the total mass of the bottle and contents?

- A It increases due to the formation of the heavy precipitate.
- **B** It remains the same because only a physical change has taken place.
- **C** It decreases because heat is evolved.
- **D** It remains the same because none of the products escapes from the bottle.
- 13 What has the same mass as 0.25 mol of copper atoms?
  - A 0.5 mol of oxygen molecules
  - **B** 1 mol of sulfur dioxide molecules
  - C 1.5 mol of water molecules
  - D 2 mol of oxygen atoms
- 14 Which change **always** takes place when an aqueous solution of copper(II) sulfate is electrolysed?
  - **A** Copper is deposited at the negative electrode.
  - **B** Oxygen is evolved at the positive electrode.
  - **C** Sulfate ions move towards the negative electrode.
  - **D** The colour of the solution fades.

- 15 Which substance will conduct electricity without being chemically changed?
  - **A** sodium chloride solution
  - B solid iron
  - **C** solid sodium chloride
  - D solid sulfur
- **16** A sample of air was bubbled into water. The pH of the water slowly changed from 7 to 6.

Which gas in the sample caused this change?

- A carbon dioxide
- **B** carbon monoxide
- **C** nitrogen
- D oxygen
- **17** The oxide Q dissolves in water to form a colourless solution. This solution reacts with sodium carbonate to produce carbon dioxide.

What is Q?

- A copper(II) oxide
- B sodium oxide
- C sulfur dioxide
- D zinc oxide
- **18** The following statements about dilute sulfuric acid are **all** correct.
  - 1 Addition of Universal Indicator shows that the solution has a pH value of less than 7.0.
  - 2 A white precipitate is formed when aqueous barium nitrate is added.
  - 3 The solution reacts with copper(II) oxide, forming a blue solution.
  - 4 The solution turns anhydrous copper(II) sulfate from white to blue.

Which two statements confirm the acidic nature of the solution?

Α	1 and 2	В	1 and 3	С	2 and 4	D	3 and 4
---	---------	---	---------	---	---------	---	---------

- **19** Which ion reacts with aqueous ammonia to give a precipitate that dissolves in an excess of ammonia?
  - **A**  $Al^{3+}(aq)$  **B**  $Fe^{2+}(aq)$  **C**  $Fe^{3+}(aq)$  **D**  $Zn^{2+}(aq)$

- 20 Which element is most likely to be used as an industrial catalyst?
  - A Li B Cs C Rh D Po
- 21 Which compound when reacted with sulfuric acid produces a product which is used as a fertiliser?
  - **A** ammonia
  - B calcium carbonate
  - C calcium hydroxide
  - D sodium hydroxide
- 22 In which reaction is the underlined substance behaving as an oxidising agent?

**A** BaC
$$l_2$$
 + Na<sub>2</sub>SO<sub>4</sub>  $\rightarrow$  BaSO<sub>4</sub> + 2NaC $l$ 


- $\textbf{B} \quad 3CuO \ \textbf{+} \ 2NH_3 \ \rightarrow \ 3Cu \ \textbf{+} \ N_2 \ \textbf{+} \ 3H_2O$
- **C** 2FeC $l_2$  + <u>C $l_2$ </u>  $\rightarrow$  2FeC $l_3$
- $\textbf{D} \quad \textbf{O}_2 \ \textbf{+} \ \underline{2SO_2} \ \rightarrow \ 2SO_3$
- 23 Which statements are true about all the noble gases?
  - 1 The number of protons in their atoms equals the number of neutrons.
  - 2 The number of protons in their atoms does not equal the number of electrons.
  - 3 They all have eight electrons in their outer shell.
  - 4 They do not react to form ionic compounds.
  - A 1, 2 and 3
  - **B** 1 and 3 only
  - C 3 only
  - D 4 only
- 24 How many electrons and protons are in an **ion** of an element in Group 2 of the Periodic Table?

	Number of electrons	Number of protons
Α	6	4
в	10	12
С	22	20
D	139	137

**25** A metal **X** forms oxides with the formulae XO and  $X_2O_3$ .

Where is **X** in the Periodic Table?


- A in Group II
- B in Group III
- C the second Period
- **D** in the transition elements
- 26 What is a characteristic of a weak acid?
  - A It does not react with sodium carbonate.
  - **B** It forms an aqueous solution with a pH of 8.
  - **C** It is only partially ionised when added to water.
  - **D** It turns litmus solution blue.
- **27** The reaction scheme represents the process for obtaining pure silicon.



- 28 Which metal can be obtained from its oxide using hydrogen?
  - A calcium
  - B copper
  - C magnesium
  - D zinc
- **29** Which substance undergoes decomposition because of the high temperature in the blast furnace?
  - A coke
  - B calcium carbonate
  - C calcium silicate
  - D slag

- 30 Which reaction occurring in the blast furnace is an acid base reaction?
  - $\textbf{A} \quad \textbf{C} \ \textbf{+} \ \textbf{CO}_2 \ \rightarrow \ \textbf{2CO}$
  - $\textbf{B} \quad \textbf{C} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{CO}_2$
  - $\textbf{C} \quad \text{CaO} \ \textbf{+} \ \text{SiO}_2 \ \textbf{\rightarrow} \ \text{CaSiO}_3$
  - $\textbf{D} \quad \text{Fe}_2\text{O}_3 \ \textbf{+} \ \textbf{3CO} \ \rightarrow \ \textbf{2Fe} \ \textbf{+} \ \textbf{3CO}_2$

### 31 Three different beakers are set up as shown.



In beaker 1 metal W is displaced from solution. In beaker 2 metal X is displaced from solution. In beaker 3 metal Y is displaced from solution.

What is the order of decreasing reactivity of the four metals?

	most reactive			least reactive
Α	W	Х	Y	Z
в	х	Y	W	Z
С	Z	W	Х	Y
D	Z	Х	W	Y

**32** Aluminium is manufactured by the electrolysis of aluminium oxide.

Which substances are formed at the electrodes?

	positive electrode	negative electrode
Α	aluminium	carbon dioxide
В	aluminium	oxygen
С	carbon dioxide	aluminium
D	oxygen	carbon dioxide

**33** The processes photosynthesis, respiration and fermentation all change the amount of carbon dioxide in the atmosphere.

Which processes increase the amount of carbon dioxide in the atmosphere?

- **A** photosynthesis and fermentation
- B photosynthesis only
- **C** respiration and fermentation
- D respiration only
- 34 Which process would destroy the bacteria in water?
  - A chlorination
  - **B** desalination
  - **C** filtration
  - D treatment with carbon
- 35 Which compound has more than two carbon atoms per molecule?
  - A ethanoic acid
  - B ethanol
  - C ethene
  - D ethyl ethanoate
- 36 The equations show some reactions of organic compounds.

Which is an addition reaction?

- $\textbf{A} \quad CH_4 \ \textbf{+} \ Br_2 \ \rightarrow \ CH_3Br \ \textbf{+} \ HBr$
- $\textbf{B} \quad C_2H_5OH \ + \ O_2 \ \rightarrow \ CH_3CO_2H \ + \ H_2O$
- $\textbf{C} \quad C_2H_5OH \ + \ CH_3CO_2H \ \rightarrow \ CH_3CO_2C_2H_5 \ + \ H_2O$
- $\textbf{D} \quad C_4H_4 \ + \ 2Br_2 \ \rightarrow \ C_4H_4Br_4$
- 37 Which statement about methanol is correct?
  - A It can be oxidised to form methanoic acid.
  - **B** It is a constituent of alcoholic drinks.
  - **C** It is formed by fermentation.
  - **D** Its fully displayed structural formula is  $H \dot{C} OH$

Н

**38** A 10 cm<sup>3</sup> sample of a gaseous hydrocarbon is completely burnt in oxygen. The total volume of the products is 70 cm<sup>3</sup>. All gas volumes are measured at room temperature and pressure.


Which equation represents the combustion of the hydrocarbon?

- $\label{eq:charged} \textbf{A} \quad CH_4(g) \ + \ 2O_2(g) \ \rightarrow \ CO_2(g) \ + \ 2H_2O(g)$
- $\label{eq:constraint} \begin{array}{ccc} \mbox{C} & C_3 H_8(g) \mbox{ + } 5O_2(g) \mbox{ + } 3CO_2(g) \mbox{ + } 4H_2O(g) \end{array}$
- **39** One mole of magnesium is dissolved in excess aqueous ethanoic acid, CH<sub>3</sub>COOH.

How many moles of hydrogen,  $H_2$ , will be produced?

**A** 0.5 **B** 1 **C** 2 **D** 4

40 The section of a polymer chain is shown.



Which molecule would produce this polymer and by which type of polymerisation?

	molecule	type of polymerisation
Α	CH <sub>3</sub> –CH=CH–CH <sub>3</sub>	condensation
в	CH <sub>3</sub> –CH <sub>2</sub> –CH=CH <sub>2</sub>	addition
С	CH <sub>3</sub> –CH <sub>2</sub> –CH <sub>2</sub> –CH=CH <sub>2</sub>	condensation
D	CH <sub>3</sub> –CH=CH–CH <sub>3</sub>	addition

https://xtremepape.rs/

# **BLANK PAGE**

13

# **BLANK PAGE**

14

# **BLANK PAGE**

15

								Gr	Group								
_	=											≡	≥	>	>	>	0
							Hydrogen										4 Helium 2
3 Lithium	9 Beryllium 4	e <sup>e</sup>										ი <sup>დე</sup> შ <del>შ</del>	6 Carbon G	14 Nitrogen	16 Oxygen 8	9 Fluorine	20 Neon 10
23 <b>Na</b> Sodium		mi										27 Aluminium 13	28 Silicon	31 Phosphorus 15	32 <b>S</b> Suftur 16	35.5 <b>C1</b> 17 Chlorine	40 <b>Ar</b> Argon
39 R A 39 Potassium	m Calcium	45 <b>A</b> Scandium 21	48 Titanium 22	51 Vanadium 23	52 <b>Cr</b> Chromium 24	55 Mn Manganese 25	56 Fe	59 <b>CO</b> <sup>27</sup>	59 Nickel 28	64 Copper 29	65 <b>Zn</b> 30 <sup>Zinc</sup>	70 <b>Ga</b> 31	73 <b>Ge</b> Germanium 32	75 <b>AS</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 Bromine 35	84 Krypton 36
85 <b>Rb</b> Rubidium 37	m Strontium 38		91 Zrconium 40	93 Niobium 41	96 <b>Mo</b> Molybdenum 42	Tc Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> odium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver	112 Cd Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> 50	122 Sb Antimony 51	128 <b>Te</b> 52	127 <b>I</b> Iodine 53	131 Xenon 54
133 <b>CS</b> Caesium 55	137 <b>Ba</b> n 56	m Lanthanum 57	178 Hafhium 72	181 <b>Ta</b> Tantalum 73	184 <b>V</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>OS</b> Osmium 76	192 <b>I</b> I Iridium 77	195 Pt Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> <sup>Mercury</sup> 80	204 <b>T 1</b> <sup>Thallium</sup> 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth	Po Polonium 84	At Astatine 85	Radon 86
<b>Fr</b> Francium 87	226 Radium 88	m 227 Actinium 89															
58-71 90-10	*58-71 Lanthanoid serie 190-103 Actinoid series	*58-71 Lanthanoid series 190-103 Actinoid series	]	140 <b>Ce</b> <sup>Certum</sup>	141 <b>Pr</b> Fraseodymium 59	144 Neodymium 60	Promethium 61	150 <b>Sama</b> rium 62	152 Eu <sup>Europium</sup> 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> <sup>Terbium</sup> 65	162 Dysprosium 66	165 Holmium 67	167 Er Erbium 68	169 <b>Tm</b> 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
Key	ع 🗙 ء	a = relative atomic mass X = atomic symbol b = proton (atomic) numt	a = relative atomic mass X = atomic symbol b = proton (atomic) number	232 Thorium 90	Protactinium 91	238 <b>U</b> Uranium 92	Neptunium 03	Pu Plutonium 94	Am Americium 95	Curium Of Curium	BK Berkelium 97	Cf Californium 98	Esinsteinium 99	Fermium 100	Md Mendelevium 101	Nobelium 102	Lr Lawrencium 103

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

5070/12/M/J/12

© UCLES 2012

https://xtremepape.rs/

DATA SHEET The Periodic Table of the