

Cambridge International Examinations Cambridge Ordinary Level

## CHEMISTRY

Paper 1 Multiple Choice

5070/12 May/June 2015 1 hour

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 15 printed pages and 1 blank page.



**1** The fractional distillation apparatus shown is being used to separate a mixture of two liquids. A thermometer is missing from the apparatus.

Where should the bulb of the thermometer be placed?



2 The concentration of aqueous sodium carbonate can be found by reaction with hydrochloric acid of known concentration using the indicator methyl orange.

Which items of equipment are needed?

- A burette, measuring cylinder, gas syringe
- **B** burette, measuring cylinder, thermometer
- **C** burette, pipette, conical flask
- D burette, pipette, stopwatch
- 3 Which molecules all contain one or more double covalent bonds?
  - A chlorine, nitrogen and methane
  - B chlorine, oxygen and ethene
  - **C** oxygen, hydrogen chloride and ethene
  - D oxygen, carbon dioxide and ethene

4 The metals Cr, Co, Fe and Mn are all transition elements.

Which particles have the same number of electrons?

- **A**  $\operatorname{Co}^{2+}$  and  $\operatorname{Cr}$
- **B**  $\operatorname{Co}^{2+}$  and  $\operatorname{Fe}^{3+}$
- $\mathbf{C}$  Cr and Mn<sup>2+</sup>
- **D**  $\operatorname{Fe}^{3+}$  and  $\operatorname{Mn}^{2+}$
- 5 Which substance has metallic bonding?

	conducts	electricity	state of product
	when solid	when liquid	with oxygen
Α	$\checkmark$	$\checkmark$	solid
В	$\checkmark$	$\checkmark$	gas
С	X	$\checkmark$	no reaction
D	×	×	solid

**6** Which compound contains only eight covalent bonds?

Α	В	С	D
CH₂OH	CH <sub>2</sub> OH	СООН	СООН
I CH <sub>2</sub> OH	CH3	I СООН	I CH₂OH

7 The table shows the results of two reactions of an aqueous solution of a salt.

reagents	final observation
excess aqueous sodium hydroxide	white precipitate
dilute nitric acid and aqueous silver nitrate	white precipitate

What could be the identity of the salt?

- A calcium chloride
- B calcium iodide
- **C** zinc chloride
- **D** zinc iodide
- 8 Which row shows correct statements about the speed at which a gas diffuses?

	effect of molecular mass	effect of temperature
Α	higher molecular mass diffuses faster	diffusion is faster at higher temperatures
в	higher molecular mass diffuses faster	diffusion is faster at lower temperatures
С	lower molecular mass diffuses faster	diffusion is faster at higher temperatures
D	lower molecular mass diffuses faster	diffusion is faster at lower temperatures

- 9 What happens when sodium chloride melts?
  - **A** Covalent bonds in a giant lattice are broken.
  - **B** Electrons are released from atoms.
  - **C** Electrostatic forces of attraction between ions are overcome.
  - **D** Molecules are separated into ions.
- 10 Using the Periodic Table for the relative atomic masses, which has the greatest mass?
  - $\textbf{A} \quad 0.1 \text{ moles of iodine molecules, } I_2$
  - **B** 0.5 moles of carbon dioxide, CO<sub>2</sub>
  - C 1.0 mole of beryllium oxide, BeO
  - D 1.0 mole of sodium, Na

**11** Ammonia is manufactured from nitrogen and hydrogen by the Haber process.

 $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$ 

What is the percentage yield when 60 kg of ammonia is produced from 60 kg of hydrogen?

- **A** 5.9% В 17.6% С 35.3% 50.0% D **12** What is the relative molecular mass,  $M_r$ , of CuSO<sub>4</sub>.5H<sub>2</sub>O? 127 В 160 178 250 Α С D **13** The list shows some substances that conduct electricity. 1 aqueous sodium chloride 2 copper 3 graphite In which substance(s) are only electrons involved in the conduction? Α 1 and 2 **B** 2 and 3 C 2 only D 3 only
- **14** Caesium is a Group I metal.

Which reaction involving this element would not produce hydrogen?

- A adding caesium to ethanoic acid
- **B** adding caesium to water
- **C** electrolysing aqueous caesium chloride
- D electrolysing molten caesium chloride

**15** The energy diagram represents a chemical reaction carried out both with a catalyst and without a catalyst.



What is the enthalpy change for the catalysed reaction?

**A** –125 kJ/mol **B** –50 kJ/mol **C** +75 kJ/mol **D** +100 kJ/mol

**16** Hydrogen reacts with iodine to form hydrogen iodide. This is a slow reaction.

$$H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$$

1 mole of hydrogen gas and 1 mole of iodine vapour were mixed and allowed to react. After t seconds, 0.6 moles of hydrogen remained.

What is the number of moles of iodine remaining after *t* seconds?

**A** 0.0 **B** 0.4 **C** 0.6 **D** 1.0

**17** Acidified potassium manganate(VII) is used as a test reagent.

Which words correctly complete gaps 1 and 2?

	1	2
Α	colourless to purple	oxidised
В	colourless to purple	reduced
С	purple to colourless	oxidised
D	purple to colourless	reduced

- 18 You are supplied with dilute hydrochloric acid together with
  - copper solid,
  - magnesium solid,
  - aqueous lead nitrate,
  - aqueous silver nitrate.

How many different insoluble chlorides could you make?

- **A** 1 **B** 2 **C** 3 **D** 4
- **19** In the graph, curve 1 was obtained by observing the decomposition of 100 cm<sup>3</sup> of 1.0 mol/dm<sup>3</sup> hydrogen peroxide solution, catalysed by manganese(IV) oxide.





Which alteration to the original experimental conditions would produce curve 2?

- **A** adding some 0.1 mol/dm<sup>3</sup> hydrogen peroxide solution
- **B** lowering the temperature
- C using less manganese(IV) oxide
- D using a different catalyst
- **20** A colourless solution reacts with magnesium to form a salt and hydrogen gas.

How is this solution acting?

- A as a base
- B as a reducing agent
- C as a solvent
- D as an acid

21 The equation shows a redox reaction between iron(II) chloride and chlorine gas.

 $2FeCl_2 + Cl_2 \rightarrow 2FeCl_3$ 

Which equation describes the reduction process in this reaction?

- **A**  $2Cl^- \rightarrow Cl_2 + 2e^-$
- **B**  $Cl_2$  +  $2e^- \rightarrow 2Cl^-$
- $\textbf{C} \quad Fe^{2^+} \rightarrow Fe^{3^+} + e^-$
- **D**  $Fe^{3+} + e^- \rightarrow Fe^{2+}$
- 22 Which compound produces the greatest number of ions when 1 mole is dissolved in water?
  - A aluminium sulfate
  - B ammonium carbonate
  - **C** ammonium nitrate
  - D calcium nitrate
- 23 The equation for the reaction taking place during the production of ammonia is shown.

 $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g) \qquad \Delta H = -92 kJ/mol$ 

The reaction is carried out between 350  $^\circ\text{C}$  and 450  $^\circ\text{C}$  and at around 200 atmospheres pressure using an iron catalyst.

Which statement is **not** correct?

- A At higher temperatures the amount of ammonia present at equilibrium is less.
- **B** Changing the pressure has no effect on the rate of reaction.
- **C** The catalyst is used to speed up the reaction.
- **D** When the reaction is at equilibrium, the forward reaction is taking place at the same rate as the backward reaction.
- 24 Which element is sodium?

	melting point in °C	electrical conduction	density in g/cm <sup>3</sup>
Α	1535	good	7.86
в	1083	good	8.92
С	113	poor	2.07
D	98	good	0.97

- **25** From their position in the Periodic Table, what would you expect the elements titanium, vanadium, chromium and cobalt to have in common?
  - 1 variable oxidation states
  - 2 coloured compounds
  - 3 high melting points
  - A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- 26 Which two gases do **not** damage limestone buildings?
  - A nitrogen and carbon monoxide
  - **B** nitrogen dioxide and carbon monoxide
  - **C** nitrogen dioxide and carbon dioxide
  - **D** sulfur dioxide and carbon dioxide
- 27 The following facts are known about four metals, P, Q, R and S.
  - 1 R displaces both P and S from aqueous solutions of their ions.
  - 2 Q reacts with water but R does not react with water.
  - 3 S does not react with acid but P does react with acid.

What is the correct order of reactivity, the most reactive first?

- $\textbf{A} \quad P \rightarrow S \rightarrow Q \rightarrow R$
- $\textbf{B} \quad \textbf{Q} \rightarrow \textbf{R} \rightarrow \textbf{P} \rightarrow \textbf{S}$
- $\boldsymbol{\mathsf{C}} \quad \mathsf{Q} \to \mathsf{S} \to \mathsf{P} \to \mathsf{R}$
- $\boldsymbol{D} \quad S \to P \to R \to Q$
- 28 Which metal has to be extracted from its ore by electrolysis?

A Fe B Na C Pb D Zn

https://xtremepape.rs/

**29** Aluminium is produced by the electrolysis of molten aluminium oxide.



Which statement about the process is correct?

- A Aluminium ions are reduced to aluminium by gaining electrons.
- **B** Aluminium oxide is reduced by cryolite.
- **C** Aluminium oxide is reduced by the carbon electrodes.
- **D** Aluminium oxide is reduced by the carbon monoxide formed at the negative electrode.
- **30** Hydrides are compounds of an element and hydrogen only.

Which statement is **not** correct?

- **A** The hydride of carbon that contains four hydrogen atoms and one carbon atom, is a gas called methane.
- **B** The hydride of chlorine dissolves in water to form an alkaline solution.
- **C** The hydride of nitrogen is manufactured in the Haber process.
- **D** The hydride of oxygen is a liquid at room temperature.
- 31 In the extraction of iron from its ore in the blast furnace, limestone is added.

What is the function of the limestone?

- A to decrease the melting point of the iron
- **B** to produce carbon monoxide for the reduction of the iron ore
- **C** to produce heat to melt the iron formed
- D to remove sand

**32** Two pieces of iron, one with zinc attached and the other with copper attached, are placed separately in water as shown.



Which statements are correct?

- 1 The iron in Y will not rust.
- 2 The water in Z will turn blue.
- 3 The zinc in Y will be oxidised.

A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

**33** A diagram of a biogas generator is shown.



The gas, if collected, can be used as a fuel.

However, if the gas is allowed to escape it becomes an atmospheric pollutant.

What is the gas?

- A carbon monoxide
- B methane
- C nitrogen
- D sulfur dioxide

- 34 Which statement about alkanes is correct?
  - **A** Alkanes are readily polymerised.
  - **B** Alkanes react with bromine by addition.
  - **C** Alkanes react with chlorine by substitution.
  - **D** Butane has three more carbon atoms and eight more hydrogen atoms than methane.
- 35 Which statement about members of the homologous series of alcohols is correct?
  - A An alcohol with two carbon atoms in each molecule is called methanol.
  - **B** Butanol can be combusted to give carbon dioxide and water only.
  - **C** Ethanol is the only alcohol that can be oxidised to a carboxylic acid.
  - **D** Propanol can be made by the catalysed addition of steam to ethene.
- **36** When cracked, one mole of a compound, **X**, produces one mole of propene and one mole of hydrogen.

$$\mathbf{X} \rightarrow \mathbf{C}_3\mathbf{H}_6 + \mathbf{H}_2$$

What type of compound is X?

- A an alcohol
- B an alkane
- C an alkene
- D a carboxylic acid

37 The diagram shows the partial structure of a polymer.



Which pair of reagents could have been used to form this polymer?



38 Which of the following has not been prepared by reacting a carboxylic acid with an alcohol?









- 39 Which statement about the properties of the four alkanes from methane to butane is not correct?
  - A Successive members of the series differ in formula by CH<sub>2</sub>.
  - **B** They increase in boiling point.
  - **C** They increase in viscosity.
  - **D** They share the same empirical formula.
- **40** Which of these polymers is a protein?

## **BLANK PAGE**

15

									_			c .			-			~						ε			Ę					
	0	4 <b>T</b>	2 Helium	20	Ne	Neon 10	40	Ar	Argon 18	84	Ъ	Kryptor 36	131	Xe	Xenon 54		Rn	Radon 86				175	Ľ	Lutetiur 71		۲	Lawrenci 103					
	١١٨			19	ш	Fluorine 9	35.5	Cl	Chlorine 17	80	Br	Bromine 35	127	н	lodine 53		At	Astatine 85				173	٩۲	Ytterbium 70		٥N	Nobelium 102					
	N			16	0	Oxygen 8	32	S	Sulfur 16	79	Se	Selenium 34	128	Те	Tellurium 52		Ро	Polonium 84				169	Ш	Thulium 69		Md	Mendelevium 101					
	>			14	z	Nitrogen 7	31	٩.	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	Bi	Bismuth 83				167	ц	Erbium 68		Еm	Fermium 100					
	$\geq$								12	ပ	Carbon 6	28	Si	Silicon 14	73	Ge	Germanium 32	119	Sn	50 Tin	207	Pb	Lead 82				165	Ч	Holmium 67		Es	Einsteinium 99
	Ξ			1	В	Boron 5	27	٩ı	Auminium 13	70	Ga	Gallium 31	115	In	Indium 49	204	Τl	Thallium 81				162	5	Dysprosium 66		ູບັ	Californium 98					
										65	Zn	Zinc 30	112	Cd	Cadmium 48	201	Hg	Mercury 80				159	Tb	Terbium 65		B¥	Berkelium 97					
										64	Cu	Copper 29	108	Ag	Silver 47	197	Au	Gold 79				157	Gd	Gadolinium 64		Сm	Curium 96					
dn										59	ï	Nickel 28	106	Pd	Palladium 46	195	Ł	Platinum 78				152	Eu	Europium 63		Am	Americium 95					
Gro										59	ပိ	Cobalt 27	103	Rh	Rhodium 45	192	Ir	Iridium 77				150	Sm	Samarium 62		Pu	Plutonium 94					
		- I	Hydrogen 1							56	Fe	lron 26	101	Ru	Ruthenium 44	190	os	Osmium 76					Pm	Promethium 61		Np	Neptunium 93					
				1						55	Mn	Manganese 25		Цc	Technetium 43	186	Re	Rhenium 75				144	Nd	Neodymium 60	238	D	Uranium 92					
										52	ບັ	Chromium 24	96	Mo	Molybdenum 42	184	3	Tungsten 74				141	Pr	Praseodymium 59		Ра	Protactinium 91					
										51	>	Vanadium 23	93	ЧN	Niobium 41	181	Та	Tantalum 73				140	се С	Cerium 58	232	Ę	Thorium 90					
										48	F	Titanium 22	91	Zr	Zirconium 40	178	Ħf	Hafnium 72							ic mass	ol	c) number					
										45	Sc	Scandium 21	68	≻	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	Actinium 89 †	series		0	relative atom.	⊧ atomic symb	proton (atomi					
	=			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Sr	Strontium 38	137	Ba	Barium 56	226	Ra	Radium 88	hinneid			a	××	= q					
	_			7	:	Lithium	23	Na	Sodium 1	39	×	Potassium 9	85	Rb	Rubidium 17	133	Cs	Caesium 5	I	Ļ	Francium 17	58-7119				ey	٩					

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

16