

Cambridge International Examinations Cambridge Ordinary Level

CHEMISTRY

5070/32 May/June 2016

Paper 3 Practical Test CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.



The Supervisor's attention is drawn to the form on page 7 which must be completed and returned with the scripts.

If you have any problems or queries regarding these instructions, please contact CIEby e-mail:info@cie.org.ukby phone:+44 1223 553554by fax:+44 1223 553558stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of 8 printed pages.

DC (KN) 124921 © UCLES 2016 **CAMBRIDGE** International Examinations

[Turn over

Safety

2

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution. Only those tests described in the question paper should be attempted. Please also see under 'Apparatus' on the use of pipette fillers and safety goggles.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

С	= corrosive	MH	= moderate hazard
HH	= health hazard	Т	= acutely toxic
F	= flammable	0	= oxidising

N = hazardous to the aquatic environment

The attention of Supervisors is drawn to any local regulations relating to safety and first-aid.

'Hazard Data Sheets', relating to materials used in this examination, should be available from your chemical supplier.

Preparing the Examination

1 Access to the question paper is NOT permitted in advance of the examination.

2 Preparation of materials

Where quantities are specified for each candidate, they are sufficient for the experiments described in the question paper to be completed.

In preparing materials, the bulk quantity for each substance should be increased by 25% as spare material should be available to cover accidental loss. More material may be supplied if requested by candidates, without penalty.

All solutions should be bulked and mixed thoroughly before use to ensure uniformity.

Supervisors are asked to carry out any confirmatory tests given on page 4 to ensure the materials supplied are appropriate.

3 Labelling of materials

Materials must be labelled as specified in these instructions. Materials with a letter code (e.g. P, Q) should be so labelled, **without** the identities being included on the label – where appropriate, the identity of a letter-coded chemical is given in the question paper itself.

4 Identity of materials

It should also be noted that descriptions of solutions given in the question paper may not correspond exactly with the specification in these Instructions. The candidates must assume the descriptions given in the question paper.

5 Size of group

In view of the difficulty of the preparation of large quantities of solution of uniform concentration, it is recommended that the maximum number of candidates per group be 30 and that separate supplies of solutions be prepared for each group.

Apparatus

3

- 1 In addition to the fittings ordinarily contained in a chemical laboratory, the apparatus and materials specified below will be necessary.
- 2 Pipette fillers (or equivalent safety devices) and safety goggles should be used where necessary.
- 3 For each candidate
 - $1 \times 50 \, \text{cm}^3$ burette
 - $1 \times 20 \text{ cm}^3$ or 25 cm^3 pipette
 - (It is essential that all candidates at a Centre have a pipette of the same capacity.)
 - $1 \times \text{pipette filler}$
 - 1 × stand
 - 1 × burette clamp
 - $1 \times$ funnel for filling burette
 - $1 \times \text{white tile}$
 - $1 \times$ flask or other suitable vessel for titration
 - a supply of test-tubes
 - 1 × test-tube rack
 - $1 \times stirring rod$
 - $1 \times$ wash bottle containing distilled water
 - 1 × teat/dropping pipette
 - $1 \times \text{spatula}$

Chemicals Required

It is especially important that great care is taken that the confidential information given below does not reach the candidates either directly or indirectly. Particular requirements

	hazardlabelper candidatePP150 cm³0.05 mcPQ150 cm³0.10 mcFQ150 cm³0.10 mcFQ2 cm³methylFP2 cm³methylFHJSupervisors are asked to carry out a standard acid/base titfall within the given range. It is essential that 25.0 cm³ of P19.0 cm³ and 21.0 cm³ of Q).	per candidate 150 cm ³ 2 cm ³ a standard acid/ ntial that 25.0 c	identity 0.05 mol/dm ³ sodium carbonate 0.10 mol/dm ³ hydrochloric acid methyl orange or screened methyl orange indicator base titration between solutions P m ³ of P reacts with between 24.0	hazardlabelper candidateidentityidentitynoteshazardP150 cm³0.05 mol/dm³ sodium carbonateDissolve 5.3g anhydrous sodium carbonate [MH] in distilledP150 cm³0.05 mol/dm³ hydrochloric acidDissolve 5.3g anhydrous sodium carbonate [MH] in distilledF] [MH]2 cm³0.10 mol/dm³ hydrochloric acidMater and make up the solution with distilled water to 1dm³.F] [MH]2 cm³methyl orange or screenedMater and make up the solution with distilled water to 1dm³.Bupervisors are asked to carry out a standard acid/base titration between solutions and 20 cm³ of Q (or 20.0 cm³ of Q).O cocm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q (or 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm³ of Q or 20.0 cm³ of P reacts with between 24.0 cm³ and 20.0 cm3 of Q or 20.0 cm3 of P reacts with between 24.0 cm3 and 20.0 cm3 of Q or 20.0 cm3 of P reacts with between 24.0 cm3 and 20.0 cm3 of Q or
E 070/32/CI/M	œ	1 0	sodium sulfite	A fresh supply of solid sodium sulfite [HH] i.e. an unopened bottle should be used and should be supplied to each candidate in a stoppered tube.
/J/16	S	10 cm ³	0.01 mol/dm ³ potassium manganate(VII)	Dissolve 1.58g of potassium manganate(VII), KMnO ₄ [N] [O] [MH] in distilled water and dilute the solution with distilled water to $1 dm^3$.
[MH]	aqueous iron(III) chloride	2 cm ³	$0.1 \text{ mol/dm}^3 \text{ iron(III) chloride}$	Dissolve 27 g hydrated iron(III) chloride, $FeCI_3.6H_2O$ [MH][C], in 1 dm ³ aqueous sodium chloride containing 5g/dm ³ NaCI.
	aqueous hydrogen peroxide	2 cm ³	10 volume hydrogen peroxide	
Z	aqueous iodine	1 cm ³	0.05 mol/dm ³ iodine solution	Dissolve 12.7g of iodine [MH] [N] and 25g of potassium iodide in warm distilled water and dilute with distilled water to $1 dm^3$.
	aqueous potassium iodide	2 cm ³	0.1 mol/dm ³ potassium iodide	
	starch solution	0.5 cm ³	2% starch solution	Mix 2g of soluble starch with a little cold water until a firm paste is obtained. Add 100 cm ³ of boiling water and stir. Boil until a clear solution is obtained (about 5 min). This solution should be freshly prepared.
N.B. Sm	nall amounts of sulfur dioxide	C][T] will be pro	duced which may cause respiratory	N.B. Small amounts of sulfur dioxide [C][T] will be produced which may cause respiratory distress in some people. The laboratory must be well ventilated.

← **へ** © UCLES 2016 The standard bench reagents specifically required are set out below. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

dilute hydrochloric acid1.0mol/dm³ hydrochloric acid1.0mol/dm³ hydrochloric acid[C]dilute nitric acid1.0mol/dm³ nitric acid1.0mol/dm³ sulfuric acid[MH]dilute sulfuric acid0.5mol/dm³ sulfuric acid1.0mol/dm³ sulfuric acid[N]aqueous silver nitrate0.05mol/dm³ silver nitrate0.05mol/dm³ sulfuric acid[N]aqueous solum hydroxide1.0mol/dm³ solum hydroxide0.02mol/dm³ barium choride (labell[MH]aqueous barium nitrate0.2mol/dm³ barium nitrate0.2mol/dm³ barium nitrate	hazard	label	identity	notes
dilute nitric acid1.0 mol/dm³ nitric aciddilute sulfuric acid0.5 mol/dm³ sulfuric acidaqueous silver nitrate0.05 mol/dm³ silver nitrateaqueous sodium hydroxide1.0 mol/dm³ aduenia[N]aqueous ammoniaaqueous barium nitrate0.2 mol/dm³ barium nitrate		dilute hydrochloric acid	1.0 mol/dm ³ hydrochloric acid	
dilute sulfuric acid0.5 mol/dm³ sulfuric acidaqueous silver nitrate0.05 mol/dm³ silver nitrateaqueous sodium hydroxide1.0 mol/dm³ sodium hydroxide[N]aqueous ammonia1.0 mol/dm³ ammoniaaqueous barium nitrate0.2 mol/dm³ barium nitrate	[c]	dilute nitric acid	1.0 mol/dm ³ nitric acid	
ate0.05 mol/dm³ silver nitrateydroxide1.0 mol/dm³ sodium hydroxide1.0 mol/dm³ ammoniatrate0.2 mol/dm³ barium nitrate	[MH]	dilute sulfuric acid	0.5 mol/dm ³ sulfuric acid	
ydroxide1.0mol/dm³ sodium hydroxide1.0mol/dm³ ammonia1.2mol/dm³ barium nitrate	[N]	aqueous silver nitrate	0.05 mol/dm ³ silver nitrate	
1.0 mol/dm ³ ammonia 0.2 mol/dm ³ barium nitrate	[c]	aqueous sodium hydroxide	1.0 mol/dm ³ sodium hydroxide	
0.2 mol/dm ³ barium nitrate	[MH] [N]	aqueous ammonia	1.0 mol/dm ³ ammonia	
used as an alternative.		aqueous barium nitrate	0.2 mol/dm ³ barium nitrate	0.2 mol/dm ³ barium chloride (labelled barium nitrate) may be
				used as an alternative.

The reagents, materials and apparatus to test the gases listed in the syllabus must be available to candidates. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the fact that such an arrangement may enhance the opportunity for malpractice between candidates.

)/32	hazard	label	identity	notes
/CI/I	[MH]	limewater	saturated aqueous calcium hydroxide,	Prepare fresh limewater by leaving distilled water to stand over
M/J/16			Ca(OH) ₂	solid calcium hydroxide for several days, shaking occasionally. Decant or filter the solution.
	[MH]	acidified aqueous potassium manganate(VII)	0.01 mol/dm^3 potassium manganate(VII) 0.5 mol/dm^3 sulfuric acid	acidified aqueous potassium 0.01 mol/dm ³ potassium manganate(VII) Mix equal volumes of 0.02 mol/dm ³ potassium manganate(VII) manganate(VII) 0.5 mol/dm ³ sulfuric acid [MH].
1			red and blue litmus paper or universal indicator paper	
			plain filter strips for use with acidified aqueous potassium manganate(VII)	
			wooden splints	
[Τι			the apparatus normally used in the Centre for use with limewater in testing for carbon dioxide	

https://xtremepape.rs/

က

ュ

During the Examination

1 The Supervisor, or other competent chemist, **must carry out the experiments in question 1 and question 2** and record the results on a spare copy of the question paper which should be labelled 'Supervisor's Results'.

N.B. This should be done for: each session held and each laboratory used in that session, and each set of solutions supplied.

It is essential that each packet of scripts contains a copy of the applicable Supervisor's Results as the candidates' work cannot be assessed accurately without such information.

2 The Supervisor must complete the Report Form on page 7 to show which candidates attended each session. If all candidates took the examination in one session, please indicate this on the Report Form. A copy of the Report Form must accompany each copy of the Supervisor's Results in order for the candidates' work to be assessed accurately.

The Supervisor must give details on page 8 of any particular difficulties experienced by a candidate, especially if the Examiner would be unable to discover this from the written answers.

After the Examination

Each envelope returned to Cambridge must contain the following items.

- 1 The scripts of those candidates specified on the bar code label provided.
- 2 A copy of the Supervisor's Report relevant to the candidates in **1**.
- **3** A copy of the Report Form, including details of any difficulties experienced by candidates (see pages 7 and 8).
- 4 The Attendance Register.
- 5 A Seating Plan for each session/laboratory.

Failure to provide appropriate documentation in each envelope may cause candidates to be penalised.

Colour Blindness

With regard to colour blindness, it is permissible to advise candidates who request assistance on colours of, for example, precipitates and solutions (especially titration end-points). Please include with the scripts a note of the candidate numbers of such candidates.

Experience suggests that candidates who are red/green colour-blind – the most common form – do not generally have significant difficulty. Reporting such cases with the scripts removes the need for a 'Special Consideration' application.

REPORT FORM

This form must be completed and sent to the Examiner in the envelope with the scripts.

Centre Number Name of Centre

1 Supervisor's Results

Supervisors are asked to use a spare copy of the question paper to report their results for **Q.1 and Q.2** and enclose this copy of the question paper with the candidates' answers. This copy of the question paper should be clearly labelled 'Supervisor's Results'. Failure to enclose these results and this Report Form may lead to candidates being unavoidably penalised.

If candidates from more than one Centre are taking the examination, it is essential that a copy of the 'Supervisor's Results' should be sent with the scripts from **each Centre**.

2 The candidate numbers of candidates attending each session were:

First Session

Second Session

X

- **3** The Supervisor is invited to report details of any difficulties experienced by particular candidates, giving names and candidate numbers. This report should include reference to:
 - (a) any general difficulties encountered in making preparation;
 - (b) difficulties due to faulty apparatus or materials;
 - (c) accidents with apparatus or materials;
 - (d) assistance with respect to colour blindness.

Other cases of hardship, e.g. illness, temporary disability, should be reported direct to CIE on the normal 'Application for Special Consideration' form.

4 A plan of work benches, giving details by candidate numbers of the places occupied by the candidates for each experiment for each session, must be enclosed with the scripts.

NAME OF CENTRE

SIGNED

Supervisor

CENTRE NUMBER

If the candidates' Centre number is different from the number of Centre at which the examination was taken, the Supervisor should write **both Centre numbers in the spaces provided**.

Declaration (to be signed by the Principal)

The preparation of this examination has been carried out so as to maintain fully the security of the examination.

SIGNED

NAME (in block capitals)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2016