

Cambridge International Examinations

Cambridge Ordinary Level

CHEMISTRY 5070/11

Paper 1 Multiple Choice May/June 2016

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.





This document consists of 14 printed pages and 2 blank pages.





- 1 Which oxide is amphoteric?
 - A Al_2O_3
- B CO₂
- C Na₂O
- D SO₂
- **2** Four gas jars each contain one of the gases ammonia, chlorine, hydrogen chloride and oxygen. A strip of damp blue litmus paper and a strip of damp red litmus paper are placed in each jar.

In which gas jar will both the damp blue litmus paper and the damp red litmus paper change colour?










- 3 How can a pure sample of barium sulfate be obtained from barium carbonate?
 - A Dissolve it in dilute hydrochloric acid, add dilute sulfuric acid, filter and crystallise.
 - **B** Dissolve it in dilute hydrochloric acid, add dilute sulfuric acid, filter and wash.
 - **C** Dissolve it in water, add dilute sulfuric acid, filter and crystallise.
 - **D** Dissolve it in water, add dilute sulfuric acid, filter and wash.
- **4** Which statement is **not** correct?
 - **A** Energy is released when a liquid changes into a solid.
 - **B** Particles move faster in the gaseous state than in the liquid state.
 - **C** The carbon atoms in gaseous methane are further apart than those in solid diamond.
 - **D** There is a large decrease in the volume of a solid metal when pressure is applied to it.

5 The symbols for two ions are shown.


Which statement is correct?

- **A** The fluoride ion contains more electrons than the sodium ion.
- **B** The sodium ion contains more neutrons than the fluoride ion.
- **C** The two ions contain the same number of electrons as each other.
- **D** The two ions contain the same number of protons as each other.
- 6 Which dot-and-cross diagram, showing all the outer shell electrons of each atom, is **not** correct?



- 7 Which statement shows that graphite and diamond are different forms of the element carbon?
 - **A** Both graphite and diamond have giant molecular structures.
 - **B** Complete combustion of equal masses of graphite and diamond produces equal masses of carbon dioxide and no other products.
 - **C** Graphite and diamond have different melting points.
 - **D** Graphite conducts electricity, whereas diamond does not.
- 8 In order to form a compound with oxygen, an atom of a Group II element must
 - A transfer two electrons to an atom of oxygen.
 - **B** receive two electrons from an atom of oxygen.
 - **C** share two electrons with an atom of oxygen.
 - **D** bond with two atoms of oxygen.

9 Copper wire is used to complete an electrical circuit.



What happens in the copper wire?

- A Electrons move along the wire to the negative terminal. Positive ions stay in position.
- **B** Electrons move along the wire to the positive terminal. Positive ions move to the negative terminal.
- **C** Electrons move along the wire to the positive terminal. Positive ions stay in position.
- **D** Negative ions move along the wire to the positive terminal. Positive ions move to the negative terminal.
- 10 Which uses for sulfuric acid are correct?
 - 1 as a bleach in the manufacture of wood pulp for paper
 - 2 as a food preservative in tinned foods
 - 3 as a raw material in the manufacture of detergents
 - 4 as a fertiliser
 - **A** 1 and 3 **B** 2 and 4 **C** 2 only **D** 3 only
- **11** Group I metals form compounds with Group VII halogens. The compounds formed are1..... in water and contain2..... bonds.

Which words correctly complete gaps 1 and 2?

| | 1 | 2 |
|---|-----------|----------|
| Α | insoluble | covalent |
| В | insoluble | ionic |
| С | soluble | covalent |
| D | soluble | ionic |

12 Compound **P** is the only substance formed when two volumes of ammonia gas react with one volume of carbon dioxide gas (both volumes being measured at r.t.p.).


What is the formula of **P**?

- A NH₂CO₂NH₄
- B (NH₂)₂CO
- C NH₄CO₂NH₄
- \mathbf{D} (NH₄)₂CO₃
- **13** Two isotopes of chlorine are ^{35}Cl and ^{37}Cl .

Using these isotopes, how many different relative molecular masses are possible for the compound with molecular formula $C_2H_3Cl_3$?

- **A** 2
- **B** 3
- **C** 4
- **D** 5

14 Gases can diffuse through porous pots. The diagram shows a beaker full of nitrogen inverted over a porous pot containing carbon monoxide.



The water level does not move.

Which statement explains this?

- A Nitrogen is almost inert.
- **B** The two gases have equal molecular masses.
- **C** Both gases have two atoms in a molecule.
- **D** Neither gas is soluble in water.


15 Aqueous copper(II) sulfate is electrolysed using carbon electrodes.

Which observations will be made?

| | at the positive electrode | electrolyte | at the negative electrode |
|---|-----------------------------|-------------------|---------------------------|
| Α | colourless gas forms | blue colour fades | pink solid forms |
| В | colourless gas forms | no change | colourless gas forms |
| С | electrode decreases in mass | blue colour fades | colourless gas forms |
| D | electrode decreases in mass | no change | pink solid forms |

- 16 Which ion is **not** present in dilute sulfuric acid?
 - A H[†]
- OH⁻
- **C** SO_3^{2-} **D** SO_4^{2-}
- The diagram shows an energy profile diagram for a chemical reaction, both with and without a 17 catalyst.


Which energy change is the activation energy for the catalysed reaction?




- 18 Which equation does **not** represent a redox reaction?
 - $A 2NH_3 + H_2SO_4 \rightarrow (NH_4)_2SO_4$
 - $\mathbf{B} \quad 2SO_2 + O_2 \rightarrow 2SO_3$
 - **C** $2KI + Cl_2 \rightarrow 2KCl + I_2$
 - $\textbf{D} \quad Zn \ + \ H_2SO_4 \ \rightarrow \ ZnSO_4 \ + \ H_2$

19 The diagram shows the apparatus used to measure the rate of the reaction between calcium carbonate and dilute hydrochloric acid.

The mass of the flask and the contents is measured at regular intervals of time.



Which graph correctly shows how the mass of the flask and contents changes with time?




20 Which row correctly compares high carbon steels and low carbon steels?

| | high carbon steels | low carbon steels |
|---|--------------------|--------------------|
| Α | stronger | more brittle |
| В | stronger | more easily shaped |
| С | weaker | more brittle |
| D | weaker | more easily shaped |

- 21 Which process does not involve the use of a catalyst?
 - A the extraction of iron from haematite in a blast furnace
 - **B** the manufacture of sulfur trioxide
 - **C** the production of ammonia from nitrogen and hydrogen
 - **D** the redox reactions that remove combustion pollutants from car exhausts

22 Gaseous compound X is an oxidising agent. X is bubbled through separate solutions of aqueous potassium iodide and acidified potassium manganate(VII).



Which row shows the colour changes when X is bubbled through these two solutions?

| | aqueous potassium iodide | acidified potassium manganate(VII) |
|---|-----------------------------|------------------------------------|
| Α | brown to colourless | no change |
| В | brown to colourless | purple to colourless |
| С | colourless to brown | no change |
| D | colourless to brown | purple to colourless |

- 23 Which metal oxide will be reduced by heating with iron?
 - A calcium oxide
 - B lead oxide
 - C magnesium oxide
 - **D** zinc oxide
- 24 Which pair of substances can be used to prepare a sample of lead(II) chloride when added to water and mixed?
 - A lead and sodium chloride
 - **B** lead(II) nitrate and sodium chloride
 - **C** lead(II) carbonate and sodium chloride
 - **D** lead and hydrochloric acid
- **25** The pH of an aqueous solution of hydrochloric acid is 2.

What will be the pH of the acid after the addition of 10 g of sodium chloride?


A 1

B 2

C 7

D 9


- 26 Which statement about the elements in the Periodic Table is correct?
 - A All the elements in the same group of the Periodic Table have the same reactivity.
 - **B** All the elements with four electrons in their outer shells are metals.
 - **C** An element in Group II of the Periodic Table would form an ion with a 2– charge.
 - **D** Elements in the same period of the Periodic Table have the same number of shells of electrons.
- 27 Iron is extracted from haematite in the blast furnace.



Which other raw material is added in this extraction?

- A bauxite
- **B** cryolite
- **C** limestone
- **D** slag

28 The diagram shows a flow chart for the manufacture of fertiliser.



In the flow chart, what are W, X, Y and Z?

| | W | Х | Y | Z |
|---|----------------|-----------------|------|-----------------|
| Α | H ₂ | N ₂ | high | NH ₃ |
| В | O_2 | SO_2 | high | SO ₃ |
| С | O_2 | SO ₂ | low | SO ₃ |
| D | N_2 | H_2 | high | NH_3 |

29 The table gives the melting points, densities and electrical conductivities of four elements.


Which element is copper?

| | melting point in °C | density in g/cm ³ | electrical conductivity |
|---|---------------------|------------------------------|-------------------------|
| Α | -38.9 | 13.6 | good |
| В | -7.2 | 3.12 | poor |
| С | 97.8 | 0.97 | good |
| D | 1083 | 8.96 | good |

30 Which gases are all present at the positive electrode during the manufacture of aluminium?

- **A** CO, H₂, CO₂
- B CO, SO₂, H₂O
- C O₂, CO, CO₂
- **D** SO₂, H₂, O₂


31 The diagram shows the structure of brass.



Why is brass harder than pure copper?

- **A** The zinc atoms form strong covalent bonds with copper atoms.
- **B** The zinc atoms prevent layers of copper atoms from sliding over each other easily.
- **C** The zinc atoms prevent the 'sea of electrons' from moving freely in the solid.
- **D** Zinc atoms have more electrons than copper atoms.
- 32 Which pollutant causes eutrophication in rivers?
 - A acid rain
 - B carbon monoxide
 - **C** fertiliser
 - D metal compounds
- 33 How many moles of hydrogen chloride are formed when one mole of methane reacts with a large excess of chlorine in sunlight?
 - **A** 1
- **B** 2
- **C** 3
- **D** 4

- 34 Which statements about alcohols are correct?
 - 1 All alcohols contain the hydroxide ion, OH⁻.
 - 2 Ethanol can be formed from ethene using a reaction catalysed by yeast.
 - 3 Methanol can be oxidised to methanoic acid.
 - 4 The alcohols X and Y shown are isomers.



- **A** 1 and 2
- **B** 1 and 3
- C 2 and 4
- **D** 3 and 4
- **35** Amino acids are essential building blocks in the human body. Macromolecules in food are hydrolysed to form amino acids.


Which macromolecules provide the body with amino acids?

- A carbohydrates
- **B** fats
- **C** proteins
- **D** sugars
- **36** Ethanol, C_2H_6O , was reacted with propanoic acid, $C_3H_6O_2$, in the presence of concentrated sulfuric acid.

Which statement about the organic product of this reaction is correct?

- **A** It has the formula $C_5H_{10}O_2$.
- **B** It has the formula $C_5H_{12}O_3$.
- **C** It is formed by an addition reaction.
- **D** It is propyl ethanoate.
- 37 How can alkenes be manufactured?
 - A by polymerisation reactions
 - **B** by the addition of hydrogen to unsaturated vegetable oils
 - **C** by the combustion of alkanes
 - **D** by the cracking of hydrocarbons

- **38** Which statement about alkanes is correct?
 - Ethane reacts with chlorine in an addition reaction.
 - Propane has a higher boiling point than butane. В
 - The molecule of the alkane that contains 99 carbon atoms has 200 hydrogen atoms. C
 - D There are three isomers with the formula C_4H_{10} .
- 39 Which statement about ethanoic acid is correct?
 - Ethanoic acid can be made by the catalysed addition of steam to ethene.
 - Propanoic acid can react with ethanoic acid to produce an ester. В
 - Solutions of 1.0 mol/dm3 ethanoic acid and 1.0 mol/dm3 hydrochloric acid will react with C magnesium at equal rates.
 - **D** The formula of ethanoic acid is CH₃CO₂H.
- **40** Polymer Z has the structure shown.



C 2 and 3

D 2 and 4

These four terms can be used to describe polymers.

- 1 addition polymer
- 2 condensation polymer
- 3 polyamide
- polyester

A 1 and 3

Which two terms can be applied to polymer Z?

B 1 and 4

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

| | III/ | 5 | e H | helium 4 | 10 | Ne | neon 20 | 18 | Ą | argon 40 | 36 | 궃 | krypton 84 | 55 | Xe | xenon 131 | 98 | R | radon | | | |
|-------|------|------------|--------|---------------|---------------|--------------|------------------------------|----|------------|------------------|----|----|-----------------|----|--------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | ΠΛ | | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ā | bromine 80 | 53 | П | iodine 127 | 85 | Αt | astatine - | | | |
| | IN | | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | Б | tellurium 128 | 84 | Ро | polonium – | 116 | ^ | livermorium - |
| | ^ | | | | 7 | z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | Ξ | bismuth 209 | | | |
| | 2 | | | | 9 | ပ | carbon 12 | 14 | : <u>S</u> | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | tin 119 | 82 | Ър | lead 207 | 114 | Εl | flerovium – |
| | III | | | | 2 | В | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | | 30 | Zu | zinc 65 | 48 | S | cadmium 112 | 80 | Нg | mercury 201 | 112 | C | copernicium - |
| | | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 6/ | Au | gold 197 | 111 | Rg | roentgenium - |
| Group | | | | | | | | | | | 28 | Z | nickel 59 | 46 | Pd | palladium 106 | 78 | 五 | platinum 195 | 110 | Ds | darmstadtium - |
| Gr | | | | | | | | | | | 27 | ဝိ | cobalt 59 | 45 | 몬 | rhodium 103 | 77 | 'n | iridium 192 | 109 | ¥ | meitnerium - |
| | | - <u>-</u> | I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | Os | osmium 190 | 108 | H | hassium – |
| | | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ပ | technetium - | 75 | Re | rhenium 186 | 107 | В | bohrium — |
| | | | | | _ | pol | ass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | > | tungsten 184 | 106 | Sg | seaborgium - |
| | | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | Q N | niobium 93 | 73 | Б | tantalum 181 | 105 | op O | dubnium – |
| | | | | | | atc | ne re- | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ξ | hafnium 178 | 104 | 弘 | rutherfordium - |
| | | | | | | | | | | | 21 | Sc | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 26 | Ba | barium 137 | 88 | Ra | radium - |
| | _ | | | | ю | = | lithium 7 | 7 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | В | rubidium 85 | 55 | S | caesium 133 | 87 | Ŧ | francium |

| 71 | Γn | lutetium 175 | 103 | ۲ | lawrencium | I |
|----|----|---------------------|-----|-----------|--------------|-----|
| | | ytterbium 173 | | | | ı |
| 69 | E | thulium 169 | 101 | Md | mendelevium | I |
| 89 | Щ | erbium 167 | 100 | Fm | fermium | I |
| 29 | 웃 | holmium 165 | 66 | Es | einsteinium | ı |
| 99 | ۵ | dysprosium 163 | 86 | ర | californium | ı |
| 65 | Д | terbium 159 | 26 | BK | berkelium | ı |
| 64 | В | gadolinium 157 | 96 | Cm | curium | I |
| 63 | En | europium 152 | 92 | Am | americium | I |
| 62 | Sm | samarium 150 | 94 | Pn | plutonium | ı |
| 61 | Pm | promethium | 93 | ď | neptunium | ı |
| 09 | PΝ | neodymium 144 | 92 | \supset | uranium | 238 |
| 69 | Ā | praseodymium 141 | 91 | Ра | protactinium | 231 |
| 28 | Ce | cerium 140 | 06 | Ч | thorium | 232 |
| 22 | Гa | lanthanum 139 | 88 | Ac | actinium | ı |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)