

Cambridge International Examinations Cambridge Ordinary Level

#### CHEMISTRY

Paper 1 Multiple Choice

5070/11 May/June 2017 1 hour

Additional Materials:	Multiple Choice Answer Sheet
	Soft clean eraser
	Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 15 printed pages and 1 blank page.



- **1** Gas X has the following properties.
  - 1 colourless
  - 2 no effect on either red or blue litmus papers
  - 3 no effect on limewater
  - 4 flammable

What is gas X?

- A ammonia
- B chlorine
- C hydrogen
- D oxygen
- 2 A gas is evolved during a reaction.

Which two pieces of apparatus would enable the rate of this reaction to be measured?

- A balance and pipette
- B gas syringe and thermometer
- C stopclock and gas syringe
- D stopclock and pipette
- **3** Which statement about pure hexane, C<sub>6</sub>H<sub>14</sub>, is correct?
  - **A** It boils over a range of temperatures.
  - **B** It burns in excess oxygen to form carbon monoxide and water only.
  - **C** It mixes with water.
  - **D** It melts at a fixed temperature.
- 4 Which statement about the particles  ${}^{19}_{9}F^{-}$ ,  ${}^{20}_{10}Ne$  and  ${}^{23}_{11}Na^{+}$  is correct?
  - A They all contain more electrons than protons.
  - **B** They all contain more neutrons than protons.
  - **C** They all contain the same number of electrons.
  - **D** They all contain the same number of protons.

**5** An aqueous solution of zinc chloride is tested by adding reagents.

Which observation is correct?

	reagent added to zinc chloride (aq)	observations
Α	acidified aqueous barium nitrate	forms a white precipitate
В	aqueous ammonia	forms a white precipitate, soluble in excess of the reagent
С	aqueous sodium hydroxide	forms a white precipitate, insoluble in excess of the reagent
D	powdered copper	forms a grey precipitate

6 How many of the molecules shown contain only one covalent bond?

	$Cl_2$	$H_2$	HC1	$N_2$	O <sub>2</sub>
2	<b>B</b> 3	С	4	D	5

- 7 Which substance has a giant covalent structure and contains atoms of more than one element?
  - A diamond

Α

- B graphite
- **C** methane
- D sand
- **8** Which statement correctly explains why chlorine, Cl<sub>2</sub>, at 40 °C diffuses more slowly than neon, Ne, at 20 °C?
  - A Chlorine has a relative molecular mass of 71 whilst neon has a relative atomic mass of 20.
  - **B** Chlorine is at a higher temperature than neon.
  - **C** Chlorine is diatomic and neon is monatomic.
  - **D** Chlorine is more reactive than neon.
- 9 Metals conduct electricity.

The movement of which particles is responsible for this conductivity?

- A anions
- **B** cations
- **C** electrons
- **D** protons

- 10 Which substance, when molten, conducts electricity?
  - A bitumen
  - B caesium iodide
  - **C** diamond
  - D sand
- **11** A compound contains 70% by mass of iron and 30% by mass of oxygen.

What is its empirical formula?

[A<sub>r</sub>: O, 16; Fe, 56]

 $\label{eq:rescaled} \textbf{A} \quad FeO \qquad \textbf{B} \quad Fe_2O_3 \qquad \textbf{C} \quad Fe_3O_2 \qquad \textbf{D} \quad Fe_3O_4$ 

**12** The formula for hydrated copper(II) nitrate is Cu(NO<sub>3</sub>)<sub>2</sub>.*x*H<sub>2</sub>O. It contains 36.5% water of crystallisation by mass.

What is the value of *x*?

[A<sub>r</sub>: H, 1; N, 14; O, 16; Cu, 64] A 4 B 5 C 6 D 7

**13** Dilute sulfuric acid is electrolysed between inert electrodes.

Which statements are correct?

- 1 Hydrogen is released at the negative electrode.
- 2 Oxygen is released at the positive electrode.
- 3 Sulfur dioxide is released at the positive electrode.
- 4 The acid becomes more concentrated.
- **A** 1, 2 and 4 **B** 1 and 2 only **C** 2 and 3 **D** 3 and 4

**14** Concentrated aqueous calcium iodide undergoes electrolysis in a similar way to concentrated aqueous sodium chloride.



What would be formed at each electrode?

	product at positive electrode	product at negative electrode
Α	iodine	calcium
в	iodine	hydrogen
С	oxygen	calcium
D	oxygen	hydrogen

**15** Aluminium is obtained by the electrolysis of molten aluminium oxide.



Which row shows the electrode at which aluminium is formed and the correct equation for its formation?

	electrode	equation
Α	anode	$Al^{3+} + 3e^- \rightarrow Al$
В	anode	$Al^{3+} - 3e^- \rightarrow Al$
С	cathode	$Al^{3+}$ + $3e^- \rightarrow Al$
D	cathode	$Al^{3+}$ – $3e^- \rightarrow Al$

**16** The energy profile diagram for the **forward** direction of a reversible reaction is shown.



For the **reverse** reaction, which row correctly shows the sign of the activation energy and the type of enthalpy change?

	sign of activation energy	type of enthalpy change
Α	negative	endothermic
В	negative	exothermic
С	positive	endothermic
D	positive	exothermic

17 The formation of liquid water from hydrogen and oxygen may occur in three stages.

Which stages would be exothermic?

**A** 1, 2 and 3 **B** 1 and 2 only **C** 2 and 3 only **D** 2 only

**18** The equation shows the formation of sulfur trioxide in the contact process.

 $2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g) \qquad \Delta H = -196 \text{ kJ/mol}$ 

What would decrease the yield of sulfur trioxide?

- A addition of more oxygen
- **B** an increase in pressure
- **C** an increase in temperature
- **D** removal of sulfur trioxide from the reaction chamber

**19** Magnesium carbonate reacts with dilute hydrochloric acid to form magnesium chloride, carbon dioxide and water.

 $MgCO_3(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + CO_2(g) + H_2O(I)$ 

The rate of the reaction is found by reacting the magnesium carbonate and dilute hydrochloric acid in a conical flask. The mass of the flask and contents is measured every twenty seconds.



Which graph correctly shows the change in the mass of the flask and contents with time?



**20** At the start of a reaction, a 1.00 dm<sup>3</sup> solution contains 0.300 mol of ethanol.

After 100 seconds the concentration of the ethanol has decreased to 0.296 mol/dm<sup>3</sup>.

What is the rate of reaction over the first 100 seconds?

- **A**  $2.96 \times 10^{-3} \text{ mol/dm}^3/\text{s}$
- **B**  $3.00 \times 10^{-5}$  mol/dm<sup>3</sup>/s
- **C**  $4.00 \times 10^{-5} \text{ mol/dm}^3/\text{s}$
- $\textbf{D} \quad 8.00\times 10^{-5}\,mol/dm^3/s$
- 21 Which statement about sulfuric acid is correct?

Sulfuric acid is used

- A as a bleach.
- **B** in food preservation.
- **C** in the manufacture of detergents.
- **D** in the purification of drinking water.
- 22 Which row shows the order of increasing pH (lowest to highest) for strong acids, strong bases, weak acids and weak bases at the same concentration?

	рН ————					
Α	strong acids	weak acids	weak bases	strong bases		
В	strong bases	weak bases	weak acids	strong acids		
С	weak acids	strong acids	weak bases	strong bases		
D	weak bases	strong bases	strong acids	weak acids		

**23** The table shows the proton numbers of four elements.

element	Q	R	Т	Z
proton number	9	11	17	19

Which statement is correct?

- A Q is a metal.
- **B** Q is more reactive than T.
- **C** R is more reactive than Z.
- **D** T and Z are in the same period.

**24** The diagram shows part of the Periodic Table.



Which row about the elements W, X and Y is correct?

	combines with oxygen in the ratio 2:3	exists as single atoms and is chemically unreactive	forms a carbonate which is not decomposed by heating in a Bunsen flame
Α	W	Х	Y
В	W	Y	Х
С	Х	W	Y
D	Х	Y	W

- 25 Lead(II) sulfate can be made by reacting dilute sulfuric acid with which substance?
  - A aqueous lead(II) nitrate
  - B lead
  - C lead(II) carbonate
  - D lead(II) oxide
- 26 Which pair gives two uses of argon?
  - A disinfecting water and in balloons
  - B disinfecting water and in light bulbs
  - **C** in balloons and in the manufacture of steel
  - **D** in light bulbs and in the manufacture of steel
- 27 Which two substances are removed from the bottom of a blast furnace?
  - 1 coke
  - 2 iron
  - 3 limestone
  - 4 slag

**A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

5070/11/M/J/17

28 Which row has the correct catalyst for the named process?

	process	catalyst
Α	contact process	vanadium(V) oxide
в	Haber process	manganese(IV) oxide
С	hydrogenation of alkenes	iron
D	photosynthesis	glucose

**29** Some metals and the compounds in their ores are shown.

metal	Al	Са	Pb	Na	Fe	Mg
compound in their ore	$Al_2O_3$	CaCO₃	PbS	NaC1	$Fe_2O_3$	MgCO <sub>3</sub>

11

Which type of reaction occurs in the extraction of each of these metals from their ore?

- **A** decomposition by heat
- B electrolysis
- **C** precipitation
- **D** reduction
- **30** After the collapse of a river bridge, a new car was immersed in the river water for several months.

When it was recovered, the parts of the car made of steel, an alloy of iron, were found to be corroded. The parts made of aluminium were not corroded.

Which statement explains these differences in corrosion?

- A Aluminium has a coating of aluminium oxide.
- B Aluminium has a very low density.
- **C** Aluminium is an excellent conductor of electricity.
- **D** Aluminium is less reactive than iron.
- **31** A farmer spread ammonium nitrate, a nitrogenous fertiliser, on a field. The next day he spread calcium hydroxide on the same field. This caused a loss of nitrogen from the ammonium nitrate.

Which chemical reaction occurred?

- **A** The calcium ions reacted with the ammonium ions, producing ammonia gas.
- **B** The calcium ions reacted with the nitrate ions, producing oxides of nitrogen.
- **C** The hydroxide ions reacted with the ammonium ions, producing ammonia gas.
- **D** The hydroxide ions reacted with the nitrate ions, producing oxides of nitrogen.

	both contain carbon	both are described as a greenhouse gas	both lower the pH of water when they dissolve in it
Α	$\checkmark$	x	$\checkmark$
В	$\checkmark$	$\checkmark$	x
С	x	$\checkmark$	$\checkmark$
D	×	$\checkmark$	×

**32** Which row correctly compares carbon dioxide and methane?

**33** Fossil fuels are used to power some internal combustion engines.

Which pollutants are produced by an internal combustion engine burning fossil fuels?

- 1 carbon monoxide
- 2 nitrogen oxides
- 3 sulfur dioxide
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 34 An ester is produced by reacting together the carboxylic acid  $HCO_2H$  and the alcohol  $CH_3CH_2CH_2OH$ .

What is the name and structure of this ester?

	name	structure
Α	methyl propanoate	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub>
В	methyl propanoate	HCO <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>
С	propyl methanoate	$CH_3CH_2CO_2CH_3$
D	propyl methanoate	HCO <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>

**35** The repeat unit of a polymer is shown.



Which monomer would produce this polymer?



36 Each of compounds W, X, Y and Z is either an unbranched alkane or an unbranched alkene.

- $W \quad C_9 H_{18}$
- X C<sub>9</sub>H<sub>20</sub>
- Y C<sub>10</sub>H<sub>20</sub>
- $Z \quad C_{10}H_{22}$

Which two compounds undergo an addition reaction with bromine?

A W and Y B W and Z C X and Y D X and Z
37 One mole of each alkane undergoes complete combustion.
Which alkane will produce seven moles of products?

- **A**  $CH_4$  **B**  $C_2H_6$  **C**  $C_3H_8$  **D**  $C_4H_{10}$
- 38 Which statement about macromolecules is correct?
  - A Nylon and *Terylene* are both polyesters.
  - **B** Proteins and nylon have the same monomer units.
  - **C** Proteins have the same amide linkages as nylon.
  - **D** *Terylene* and fats are esters but with different linkages.

39 An organic compound, X, has a molecular formula C<sub>4</sub>H<sub>8</sub>O<sub>2</sub> and turns damp, blue litmus paper red.What is the structure of X?







- 40 Which polymer contains only three different elements?
  - A protein
  - B poly(ethene)
  - C poly(propene)
  - D starch

### **BLANK PAGE**

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2017

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

 ES 20	)17											ā	507	/0/1		 J/1 <sup>.</sup>	7					
	-			e	:	lithium 7	11	Na	sodium 23	19	×	otassium 39	37	Rb	ubidium 85	55	Cs	caesium 133	87	Fr	francium	1
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ک	strontium 88	56	Ba	barium 137	88	Ra	radium	I
										21	လိ	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids		
				10	ato	rela				22	Ħ	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium	I
			Key	atomic number	mic sym	name tive atomic mi				23	>	vanadium 51	41	qN	niobium 93	73	ц	tantalum 181	105	Db	dubnium	I
				L	bol	ass				24	ç	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium	1
										25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium 186	107	Bh	bohrium	1
		- I	hydrogen 1							26	Fе	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium	I
Ű				1						27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium	I
dno										28	Ī	nickel 59	46	Pd	palladium 106	78	ħ	platinum 195	110	Ds	darmstadtium	I
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	I
										30	Zn	zinc 65	48	Sd	cadmium 112	80	Hg	mercury 201	112	C	copernicium	I
	≡			5	Ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
	≥			9	ပ	carbon 12	14	S.	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Ъb	lead 207	114	۶l	flerovium	I
	>			7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209				

Elements
Ţ.
0
e
9
Та
C
÷
×
. <u> </u>
er
₽.
The

 $\parallel$ 

₹

 $\geq$ 

# © UCLE

lles.	and the second second			-	-	-	 		-
In the		EP "//	1 N N 1 N 1					a 19	
			- ALL -						
	and the		The second	~ ~ ~ ~		1000	 	_	

	57	58	29	60	61	62	63	64	65	99	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Ъд	Tb	D	Ч	ц	Tm	Υb	Lu
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbium	thulium	ytterbium	lutetium
	139	140	141	144	I	150	152	157	159	163	165	167	169	173	175
	89	06	91	92	93	94	95	96	97	98	66	100	101	102	103
actinoids	Ac	Th	Ра		ЧN	Pu	Am	СЪ	異	Ç	Es	Е Н	Md	No	Ļ
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	califomium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	I	232	231	238	I	I	I	I	I	I	I	I	I	I	I

16

 $\overset{hellum}{=} \overset{hellum}{=} \overset{h$ 

 $\begin{array}{c|c} & 9 & \\ & \text{flucture} & \\ & \text{flucture} & \\ & 10 & \\ & 11 & \\ & 35.5 & \\ & 35.5. & \\ & 35.5. & \\ & 35.5. & \\ & 35.5. & \\ & 35.5. & \\ & 35.5. & \\ & 17 & \\ & 127 & \\ & 1$