

Cambridge O Level

CHEMISTRY

Paper 1 Multiple Choice

May/June 2020 1 hour

5070/11

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Blank pages are indicated.

1 The diagram shows four pieces of apparatus that are used to measure the volume of a gas or liquid.

Which piece of apparatus should always be filled to the same level?



2 Copper(II) sulfate is prepared by reacting excess copper(II) carbonate with dilute sulfuric acid.

 $CuCO_3(s) + H_2SO_4(aq) \rightarrow CuSO_4(aq) + CO_2(g) + H_2O(I)$

Which two pieces of apparatus are needed to obtain copper(II) sulfate crystals by this reaction?

- 1 thermometer
- 2 evaporating basin
- 3 filter funnel
- 4 gas syringe

A 1 and 2 B 1 and 4 C 2 and 3 D 3 and 4

3 A paper chromatography experiment is carried out to find an R_f value for Fe³⁺(aq). The result is shown.



To make the spot containing $Fe^{3+}(aq)$ more visible, the paper is sprayed with aqueous sodium hydroxide so that a precipitate of iron(III) hydroxide forms.

Under the conditions of the experiment, the R_f of Fe³⁺(aq) is given by1.... and the colour of the precipitate is2.....

Which row correctly completes gaps 1 and 2?

	gap 1	gap 2
Α	<u>х</u> У	red-brown
В	$\frac{x}{y}$	green
С	$\frac{y}{x}$	red-brown
D	$\frac{y}{x}$	green

4 Aluminium chloride is dissolved in water and the resulting solution is divided between three test-tubes.

Which row gives the reagents for three tests which could be used to confirm the presence of aluminium chloride?

	test-tube 1	test-tube 2	test-tube 3
Α	aqueous sodium hydroxide	aqueous ammonia	dilute hydrochloric acid and aqueous silver nitrate
В	aqueous sodium hydroxide	dilute nitric acid and aqueous silver nitrate	dilute hydrochloric acid
С	aqueous ammonia	dilute nitric acid and aqueous silver nitrate	nitric acid and barium nitrate
D	aqueous sodium hydroxide	aqueous ammonia	dilute nitric acid and aqueous silver nitrate

5070/11/M/J/20

- 5 Which statement about methods of purification and analysis is correct?
 - A A liquid that boils over a range of temperatures may still be 100% pure.
 - **B** An insoluble substance may be separated from water by crystallisation.
 - **C** Chromatography may only be used to separate coloured substances.
 - **D** Liquid air can be fractionally distilled, giving oxygen as one of the products.
- **6** Which changes in pressure and temperature would both result in a decrease in the volume of a fixed mass of gas?
 - **A** Decrease the pressure and decrease the temperature.
 - **B** Decrease the pressure and increase the temperature.
 - **C** Increase the pressure and decrease the temperature.
 - **D** Increase the pressure and increase the temperature.
- 7 Which definition of isotopes is correct?
 - A atoms of different elements which have the same number of electrons
 - **B** atoms of different elements which have the same number of neutrons
 - C atoms of the same element which have different numbers of electrons
 - **D** atoms of the same element which have different numbers of neutrons
- 8 Which ion has the most shells that contain electrons?
 - **A** Al^{3+} **B** Be^{2+} **C** N^{3-} **D** S^{2-}
- 9 Which substance conducts electricity both when solid and when molten?
 - A an alloy
 - **B** a hydrocarbon
 - **C** a metal oxide
 - D a salt
- 10 Which substance is an ionic compound?
 - **A** ammonia
 - B calcium chloride
 - **C** ethanoic acid
 - **D** hydrogen chloride

11 The dot-and-cross diagrams for four compounds are shown.

Which diagram is correct? (Note that only the outer shell electrons are shown.)



12 Element X has a lattice of positive ions and a 'sea of electrons'.

$(+)^{e^-}($]
$e^{-} \oplus e^{-} \oplus e^{-$	기
$(+)_{e^-}(+)e^-(+)e^-(+)e^-(+)e^-$	

Which property will X have?

- A It conducts electricity by the movement of ions and electrons.
- **B** It has a high melting point.
- **C** It is decomposed by an electric current.
- D It is not malleable.
- **13** A chicken egg has a mass of 60 g. The egg shell is 10% of the total mass. The egg shell is made of calcium carbonate.

What is the mass of calcium in the egg shell?

A 0.24g **B** 0.40g **C** 2.4g **D** 4.0g

14 Ethanol can be made by the reaction shown.

 C_2H_5Br + NaOH \rightarrow C_2H_5OH + NaBr

If 5.00 g of C_2H_5Br produces 1.59 g of ethanol, what is the **molar** percentage yield of ethanol? [M_r : C_2H_5Br , 109; C_2H_5OH , 46]

A 13% **B** 32% **C** 42% **D** 75%

15 An aqueous solution contains 0.01 mol of $Zn^{2+}(aq)$ and 0.01 mol of $Cu^{2+}(aq)$.

Aqueous sodium hydroxide is added until in excess.

After shaking, the mixture is filtered.

What remains on the filter paper?

- A 0.01 mol of a white hydroxide and 0.01 mol of a blue hydroxide
- **B** 0.01 mol of a white hydroxide
- **C** 0.01 mol of a blue hydroxide
- D no solid residue
- 16 Which arrangement is used to electroplate copper onto a steel key?

	electrolyte	anode (positive electrode)	cathode (negative electrode)
Α	aqueous copper(II) sulfate	piece of pure copper	steel key
В	aqueous copper(II) sulfate	steel key	piece of pure copper
С	dilute sulfuric acid	piece of pure copper	steel key
D	dilute sulfuric acid	steel key	piece of pure copper

17 The rate of reaction between calcium carbonate and hydrochloric acid is measured in three separate experiments.



In experiment 1, the calcium carbonate is powdered and an excess of hydrochloric acid is used. In experiment 2, the calcium carbonate is in lumps and an excess of hydrochloric acid is used. In experiment 3, the calcium carbonate is in lumps but insufficient hydrochloric acid is used. The results of these experiments are shown.



Which statement is correct?

- A Experiment 1 is shown by curve X.
- **B** Experiment 1 is shown by curve Y.
- **C** Experiment 2 is shown by curve Y.
- **D** Experiment 3 is shown by curve Z.

18 Pieces of zinc are added to aqueous copper(II) sulfate.

 $Cu^{2+}(aq)$ + $Zn(s) \rightarrow Zn^{2+}(aq)$ + Cu(s)

Which statement is correct?

- **A** $Cu^{2+}(aq)$ is oxidised to Cu(s) by gaining electrons.
- **B** $Cu^{2+}(aq)$ is reduced to Cu(s) by losing electrons.
- **C** Zn(s) is oxidised to $Zn^{2+}(aq)$ by losing electrons.
- **D** Zn(s) is reduced to $Zn^{2+}(aq)$ by gaining electrons.
- **19** The oxide of element X reacts with acids to form salts.

Which statement about element X or its oxide is correct?

- A X conducts electricity.
- B X is a non-metal.
- **C** The oxide is a gas at room temperature and pressure.
- **D** The oxide is covalent.
- 20 Nitrogenous fertilisers promote plant growth and crop yield.

Which compound contains the greatest mass of nitrogen in 100 g of fertiliser?

- **A** KNO_3 **B** NH_4NO_3 **C** $(NH_4)_2SO_4$ **D** $(NH_4)_2HPO_4$
- 21 Which aqueous reagent liberates ammonia from ammonium nitrate on warming?
 - A calcium nitrate
 - **B** potassium hydroxide
 - **C** sodium chloride
 - D sulfuric acid
- 22 Which statement about sulfuric acid is correct?
 - A It is manufactured by heating hydrogen, oxygen and sulfur together.
 - **B** It is used as a battery acid.
 - **C** It is used as a detergent.
 - **D** It is used to neutralise alkaline soils.

23 The diagram shows part of the Periodic Table.



Which element has the highest proton number and which element has the largest number of valence electrons?

	highest proton number	highest number of valence electrons
Α	Са	Са
В	Са	Cl
С	Li	Са
D	Li	Cl

24 A lump of element X can be cut by a knife.

During its reaction with water, X floats and melts.

What is X?

- A calcium
- B copper
- C magnesium
- D potassium
- 25 Which statement about the properties of some elements is correct?
 - **A** All noble gases are unreactive due to having eight electrons in their outer shells.
 - **B** The Group VII element astatine, At₂, is expected to be a black solid at room temperature.
 - **C** The reactivity of the elements in both Group I and Group VII increases down the group.
 - **D** When aqueous chlorine is added to aqueous potassium bromide there is no change in colour.

26 Which diagram shows the structure of an alloy?



- 27 Which element can only be extracted from its ore using electrolysis?
 - A calcium
 - B copper
 - C lead
 - D silver
- **28** The equations show reactions taking place in the blast furnace.

In which reaction is an acidic impurity, present in iron ore, removed?

- $\textbf{A} \quad C \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{CO}_2$
- $\textbf{B} \quad \textbf{C} \ \textbf{+} \ \textbf{CO}_2 \ \rightarrow \ \textbf{2CO}$
- $\textbf{C} \quad \text{Fe}_2\text{O}_3 \ \textbf{+} \ 3\text{CO} \ \rightarrow \ 2\text{Fe} \ \textbf{+} \ 3\text{CO}_2$
- $\textbf{D} \quad \text{CaCO}_3 \ \textbf{+} \ \text{SiO}_2 \ \rightarrow \ \text{CaSiO}_3 \ \textbf{+} \ \text{CO}_2$

29 Which diagram correctly shows the conditions necessary for the rusting of iron and also the metal that can be used to prevent rusting by sacrificial protection?



- 30 In the electrolysis of molten aluminium oxide, which statement is correct?
 - A The molar ratio of aluminium to oxygen gas formed is 1:2.
 - **B** The molar ratio of aluminium to oxygen gas formed is 3:4.
 - **C** Oxygen gas is formed at the anode.
 - **D** Reduction occurs at the anode.
- **31** Which row correctly compares carbon dioxide and methane?

	both contain carbon	both are described as a greenhouse gas	both lower the pH of water when they dissolve in it						
Α	\checkmark	×	\checkmark						
в	\checkmark	\checkmark	x						
С	x	\checkmark	\checkmark						
D	×	\checkmark	x						

32 Sea water is not safe to drink. It can be converted into drinkable water by desalination.

What does desalination involve?

- A adding chlorine to kill bacteria
- **B** boiling the water to sterilise it
- **C** removing the salt by filtration
- **D** separating the water by distillation
- **33** Fats are essential components of the human diet.

The diagram shows a fat molecule.



Which description of this fat molecule is correct?

- A saturated carboxylic acid
- B saturated ester
- C unsaturated carboxylic acid
- D unsaturated ester

34 A molecule of the compound C_4H_6 is shown.



This molecule undergoes an addition reaction with excess bromine and an addition reaction with steam.

One molecule of C_4H_6 reacts with1..... of bromine.

When C_4H_6 reacts with steam,2..... is formed.

Which words complete gaps 1 and 2?

	1	2
Α	one molecule	an alcohol
В	one molecule	a carboxylic acid
С	two molecules	an alcohol
D	two molecules	a carboxylic acid

35 The molecules of two hydrocarbon compounds X and Y each contain only four carbon atoms.

X is saturated and Y is unsaturated.

Which statements are correct?

- 1 Under suitable conditions Y polymerises.
- 2 The complete combustion of 1 mole of Y produces more carbon dioxide than the complete combustion of 1 mole of X.
- 3 One molecule of Y contains more hydrogen atoms than one molecule of X.

A 1 only **B** 3 only **C** 1 and 2 **D** 2 and 3

36 Which conversions involve oxidation?

- 1 ethanol \rightarrow carbon dioxide + water
- 2 ethanol \rightarrow ethanoic acid
- 3 ethene \rightarrow poly(ethene)
- **A** 1 only **B** 2 only **C** 1 and 2 only **D** 1, 2 and 3

37 Compound T reacts with magnesium, aqueous sodium hydroxide and ethanol.

Which group does T contain?



- **38** Which type of reaction could be used in the polymerisation of ethene?
 - A addition
 - **B** condensation
 - C cracking
 - D esterification
- **39** Insulin is a protein made in the human body.

Which statements about insulin are correct?

- 1 It is a condensation polymer.
- 2 It is a synthetic polymer.
- 3 When hydrolysed it produces only one monomer.
- 4 It contains amide linkages.

A 1, 2 and 3 **B** 1 and 3 only **C** 1 and 4 only **D** 2, 3 and 4

- **40** Which statement about polymers is correct?
 - A Nylon and *Terylene* are produced by addition polymerisation.
 - **B** Nylon and *Terylene* both contain the amide linkages.
 - **C** Simple sugars are produced by hydrolysing proteins.
 - **D** Starch contains the elements carbon, hydrogen and oxygen.

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2020

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

71 Lu Iutetium 175 103 Lr lawrencium

70 Yb 173 173 173 173 173 172 00 Nobelium

69 Tm 169 101 Md -

68 erbium 167 167 100 femium

67 holmium 165 99 einsteinium

66 Dy dysprosium 163 98 Cf Cf

65 Tb 159 97 97 Bk berkelium

64 Gd 157 96 Cm cunium

63 Eu ^{europium} 152 95 **Am** amenicium

62 Samarium 150 94 94 Pu Pu

61 promethium 33 93 93 - - hium - - neptunium

59 Praseodymium 141 91 Pa protactinium 231

58 Cerium 140 90 140 Th Thorium 232

57 La lanthanum 139 89 89 actinium

actinoids

lanthanoids

	-	

	S 20	2U
S OOLL	0 20	20

The Periodic Table of Elements

	III>	L 2		helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -													
	</td <td></td> <td></td> <td></td> <td>6</td> <td>ш</td> <td>fluorine 19</td> <td>17</td> <td>Cl</td> <td>chlorine 35.5</td> <td>35</td> <td>Ъ</td> <td>bromine 80</td> <td>53</td> <td>Ι</td> <td>iodine 127</td> <td>85</td> <td>At</td> <td>astatine -</td> <td></td> <td></td> <td></td>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine -													
	>				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium –	116	۲<	livermorium -										
	>				7	z	nitrogen 14	15	۵.	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209													
	≥														9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	РЬ	lead 207	114	Fl	flerovium -
	≡				5	ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204													
											30	Zn	zinc 65	48	Cq	cadmium 112	80	Hg	mercury 201	112	C	copernicium -										
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -										
dn											28	ïZ	nickel 59	46	Pd	palladium 106	78	Ţ	platinum 195	110	Ds	darmstadtium -										
Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -										
		- I	-	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -										
										25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium 186	107	Bh	bohrium –											
						bol	ISS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -										
				Key	atomic number	mic sym	name itive atomic ma				23	>	vanadium 51	41	dΝ	niobium 93	73	Ца	tantalum 181	105	Db	dubnium –										
					10	ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ħ	hafnium 178	104	Ŗ	rutherfordium -										
								-			21	လိ	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids											
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ا	strontium 88	56	Ba	barium 137	88	Ra	radium -										
	_				e	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ъг	francium -										

5070/11/M/J/20

16