

CHEMISTRY

Paper 1 Multiple Choice

5070/01 October/November 2007 1 hour

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

786890

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

This document consists of 14 printed pages and 2 blank pages.




1 A test-tube containing a liquid **X** is placed in a beaker of boiling water. The liquid **X** starts to boil immediately.

2

What is the boiling point of liquid X?

- **A** 100 °C
- B above 100 °C
- **C** between 0 °C and room temperature
- D between room temperature and 100 °C
- 2 Solid ammonium chloride decomposes on heating according to the following equation.



Which change occurs to the damp red litmus paper in the experiment above?

- A remains red
- B turns blue and is then bleached
- **C** turns blue and remains blue
- D turns blue and then turns red
- 3 Compound X reacts with some metals to liberate hydrogen and is used to make fertilisers.

It gives a white precipitate when added to aqueous barium nitrate.

What is X?

- **A** ammonium sulphate
- B hydrochloric acid
- C potassium nitrate
- D sulphuric acid

4 An aqueous solution of zinc chloride is tested with various reagents.

Which observation is correct?

- A Acidified barium nitrate solution gives a white precipitate.
- **B** Aqueous ammonia gives a white precipitate soluble in excess of the reagent.
- **C** Copper turnings precipitate zinc.
- **D** Sodium hydroxide solution gives a white precipitate insoluble in excess of the reagent.
- 5 What correctly describes the molecules in very dilute sugar solution at room temperature?

	sugar molecules	water molecules
Α	widely separated, moving at random	close together, moving at random
в	widely separated, moving at random	close together, not moving
С	widely separated, not moving	widely separated, moving at random
D	close together, moving at random	close together, moving at random

- 6 Which statement is correct about sulphur, atomic number 16?
 - **A** Sulphur can form the ion S^{2-} .
 - **B** Sulphur dissolves in water to form sulphuric acid.
 - **C** Sulphur forms ionic oxides.
 - **D** Sulphur will react with metals to produce S^{6+} ions.
- 7 A researcher notices that atoms of an element **X** are releasing energy.

Why does this happen?


- **A** The atoms are absorbing light.
- **B** The atoms are radioactive.
- **C** The atoms react with argon in the air.
- **D** The atoms are evaporating.
- 8 Which material has the highest melting point?
 - **A** ammonia
 - B methane
 - C sodium chloride
 - D water

9 The table shows some properties of diamond and graphite.

For which property is the reason correct?

	property	reason
Α	diamond cuts glass	the bonds in glass are stronger than those in diamond
в	diamond is a hard substance	there are many ionic bonds in diamond
С	graphite is a lubricant	there are weak bonds between graphite layers
D	graphite conducts electricity	graphite contains freely moving ions


10 An electrical circuit is set up using copper wire.



Which process takes place in the copper wire?

- A Electrons move along the wire to the negative terminal, positive ions stay in position.
- **B** Electrons move along the wire to the positive terminal, positive ions move to the negative terminal.
- **C** Electrons move along the wire to the positive terminal, positive ions stay in position.
- **D** Negative ions move along the wire to the positive terminal, positive ions move to the negative terminal.

11 A molecule of arsenic bromide, AsBr₃, has the structure shown.



Which properties could be correct for arsenic bromide?

	melting point/°C	electrical conductivity at room temperature
Α	28	does not conduct
В	39	conducts
С	650	conducts
D	755	does not conduct

12 The equation represents the action of dilute nitric acid on copper.

$$xCu + yHNO_3 \rightarrow xCu(NO_3)_2 + 4H_2O + 2NO$$

What are the values of x and y?


A
$$x = 1, y = 4$$

- **B** x = 1, y = 8
- **C** x = 3, y = 4
- **D** x = 3, y = 8
- **13** Which statement about the substance formed when a given mass of an element burns in excess oxygen is **always** correct?

The substance formed is

- A denser than the element.
- **B** greater in mass than the element.
- **C** soluble in water.
- **D** white in colour.

- **14** Which statement is correct about the electrolysis of an aqueous solution of copper(II) sulphate with platinum electrodes?
 - A Oxygen is given off at the positive electrode.
 - **B** The mass of the negative electrode remains constant.
 - **C** The mass of the positive electrode decreases.
 - **D** There is no change in the colour of the solution.
- **15** The diagram shows a simple cell.




Which two metals produce the highest reading on the voltmeter?

	X	Y
Α	magnesium	copper
В	magnesium	iron
С	zinc	copper
D	zinc	iron

- 16 In which process is energy released?
 - A electrolysis of water to form hydrogen and oxygen
 - **B** forming a hydrogen molecule from two hydrogen atoms
 - **C** fractional distillation of crude oil
 - D photosynthesis

17 The energy profile diagram for the reaction between hydrogen and chlorine is shown.



progress of reaction

What information about this reaction does the diagram show?

	type of reaction	sign of enthalpy change, ΔH
Α	endothermic	negative
в	endothermic	positive
С	exothermic	negative
D	exothermic	positive

18 Carbon dioxide was produced when a given mass of zinc carbonate reacted with excess hydrochloric acid.

Which result shows what would happen if the reaction were repeated at a higher temperature?

	volume of carbon dioxide	rate of reaction
Α	same	faster
В	same	slower
С	greater	same
D	greater	faster

19 The reaction between hydrogen sulphide and sulphur dioxide is represented by the equation shown.

 $\begin{array}{ll} 2H_2S(g) + SO_2(g) \rightarrow 2H_2O(I) + 3S(s) \\ reactants & products \end{array}$

What occurs in this reaction?

- **A** Both reactants are reduced.
- **B** The two reactants are neither oxidised nor reduced.
- **C** Hydrogen sulphide is oxidised and sulphur dioxide is reduced.
- **D** Sulphur dioxide is oxidised and hydrogen sulphide is reduced.
- 20 In which compound does the element X have the highest oxidation state?

A X_2 O **B** X_4 O **C** XO_2 **D** XO_4

- 21 Which pair of substances reacts to form a salt and water only?
 - A sodium chloride solution and silver nitrate solution
 - **B** sodium hydroxide solution and dilute ethanoic acid
 - C sodium carbonate solution and dilute sulphuric acid
 - D zinc and dilute hydrochloric acid
- 22 Which reaction does not involve neutralisation?
 - **A** $H_2SO_4(aq) + 2NH_3(aq) \rightarrow (NH_4)_2SO_4(aq)$
 - **B** $H_2SO_4(aq) + BaCl_2(aq) \rightarrow BaSO_4(s) + 2HCl(aq)$
 - **C** $H_2SO_4(aq) + CuO(s) \rightarrow CuSO_4(aq) + H_2O(I)$
 - **D** $H_2SO_4(aq) + 2NaOH(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(I)$

23 The table gives information about the solubilities of the hydroxides, carbonates and sulphates of calcium, sodium and zinc.

	hydroxide	carbonate	sulphate
calcium	slightly soluble	insoluble	slightly soluble
sodium	soluble	soluble	soluble
zinc	insoluble	insoluble	soluble

What is the best way of making zinc carbonate?

- **A** Shake aqueous zinc sulphate with aqueous sodium carbonate.
- **B** Shake aqueous zinc sulphate with solid calcium hydroxide and bubble in carbon dioxide.
- **C** Shake solid zinc hydroxide with aqueous sodium hydroxide and bubble in carbon dioxide.
- **D** Shake solid zinc sulphate and solid calcium carbonate with water.
- **24** In the Periodic Table, how many periods are needed to accommodate the elements of atomic numbers 1-18?

Α	2	В	3	С	4	D	8
---	---	---	---	---	---	---	---

25 Which pair of properties are **both** correct for a typical transition element?


	property 1	property 2
Α	forms coloured compounds	soluble in water
В	high density	has variable oxidation states
С	low melting point	can act as a catalyst
D	low density	high melting point

26 Sodium, aluminium and sulphur are in the same period of the Periodic Table.

Which trend in types of oxide occurs across this period?

	left	>	right
Α	acidic	amphoteric	basic
в	amphoteric	basic	acidic
С	basic	acidic	amphoteric
D	basic	amphoteric	acidic

- 27 Which substance leaves a black solid when heated?
 - A calcium carbonate
 - **B** copper(II) carbonate
 - **C** potassium carbonate
 - D zinc carbonate
- **28** The diagram shows apparatus for measuring the volume of hydrogen given off when an excess of dilute hydrochloric acid is added to powdered metal. The volume of gas is measured at room temperature and pressure.



The experiment is carried out three times, using the same mass of powder each time but with different powders:

- pure magnesium
- pure zinc
- a mixture of magnesium and zinc

Which powder gives the greatest volume of hydrogen and which the least volume?


	greatest volume of H_2	least volume of H_2
Α	magnesium	zinc
в	magnesium	the mixture
С	zinc	magnesium
D	zinc	the mixture

- 29 Which metal can react rapidly with steam, but reacts only very slowly with cold water?
 - A calcium
 - B copper
 - **C** iron
 - D potassium
- 30 Which statement about the extraction of aluminium from aluminium oxide is correct?
 - A Aluminium is extracted by heating its oxide with carbon.
 - **B** Aluminium is extracted using electrolysis and is collected at the anode (positive electrode).
 - C Aluminium is extracted using platinum electrodes and direct current.
 - **D** Molten cryolite is used as a solvent for aluminium oxide.
- 31 All ammonium salts on heating with sodium hydroxide produce ammonia gas.

From which ammonium salt can the greatest mass of ammonia be obtained?

- A 0.5 mol (NH₄)₃PO₄
- B 0.5 mol (NH₄)₂SO₄
- **C** 1.0 mol NH₄C*l*
- **D** 1.0 mol NH₄NO₃
- 32 Which is a use of sulphuric acid?
 - A as a bleach
 - B in the manufacture of ammonia
 - **C** in the manufacture of fertilisers
 - D in the manufacture of sulphur trioxide
- 33 Why are catalytic converters fitted to car exhausts?
 - A to decrease the amount of carbon dioxide emitted
 - **B** to decrease the amount of nitrogen oxides emitted
 - **C** to improve energy conservation
 - **D** to reduce global warming

34 Which type of water in the left hand column is linked correctly to a statement in the right hand column?



35 When cracked, one mole of a compound X produces one mole of propene and one mole of hydrogen.

$$\mathbf{X} \rightarrow C_3 H_6 + H_2$$

What type of compound is X?

- A an alcohol
- B an alkane
- C an alkene
- D a carboxylic acid
- 36 When ethanol is left standing in the air for some time it becomes acidic.

Which equation represents this change?

- $\textbf{A} \quad CH_3CH_2OH \quad + CO \rightarrow CH_3CH_2CO_2H$
- $\textbf{B} \quad CH_3CH_2OH \quad + O_2 \quad \rightarrow CH_3CO_2H + H_2O$
- $\textbf{C} \quad CH_3CH_2OH \quad + \ 3O_2 \rightarrow 2CO_2 + \ 3H_2O$
- $\textbf{D} \quad 2CH_3CH_2OH + O_2 \ \rightarrow 2CH_3CO_2H + 2H_2$
- **37** A 10 cm³ sample of a gaseous hydrocarbon is completely burnt in oxygen. The total volume of the products is 70 cm³.


Which equation represents the combustion of the hydrocarbon?

- $\textbf{A} \quad CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$
- $\label{eq:bound} \begin{array}{ll} \textbf{B} & C_2H_4(g)+3O_2(g) \rightarrow 2CO_2(g)+2H_2O(g) \end{array}$
- $\label{eq:constraint} \begin{array}{ll} \textbf{C} & C_3H_8(g) + 5O_2(g) \rightarrow 3CO_2(g) + 4H_2O(g) \end{array}$
- **D** $2C_2H_6(g) + 7O_2(g) \rightarrow 4CO_2(g) + 6H_2O(g)$

- 38 What is produced when proteins are hydrolysed?
 - A alcohols
 - B amides
 - **C** amino acids
 - **D** sugars
- **39** Methane is the first member of the alkane series of hydrocarbons. The second member is ethane which
 - 1 has the formula C_2H_4 .
 - 2 has a higher boiling point than that of methane.
 - 3 has the same empirical formula as methane.
 - 4 has chemical properties very similar to those of methane.

Which statements are correct?

- **A** 1, 2 and 3 **B** 1 and 4 **C** 2 and 4 **D** 3 only
- 40 The diagrams show four structures.



https://xtremepape.rs/

BLANK PAGE

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

		0	⁴ He	2 Helium	20	Ne	10 Neon	40	Ar	Argon 18	84	Kr	Krypton 36	131	Хе	Xenon 54		Rn	B6 Radon				175	Lu	Lutetium 71		Ļ	Lawrencium 103													
		١١			19	ш	Fluorine 9	35.5	Cl		80	'n	Ð	127	I	lodine 53		At	Astatine 85			-	173	γb	Ytterbium 70		No	Nobelium 102													
		N			16	0	Oxygen 8	32	S	Sulphur 16	62	Se	Selenium 34	128	Te	Tellurium 52		Ъо	Polonium 84				169	Tn	Thulium 69		Md	Mendelevium 101													
		>			14	z	Nitrogen 7	31	٩	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	Bi	Bismuth 83				167	ш	Erbium 68		Е'n	Fermium 100													
		2			-	-	-						4				_	12	ပ	Carbon 6	28	Si	Silicon 14	73	Ge	Germanium 32	119	Sn	50 Tin	207	Рр	Lead 82				165	Я	Holmium 67		Es	Einsteinium 99
		=			÷	۵	Boron 5	27	A 1	Aluminium 13	70	Ga	Gallium 31	115	In	Indium 49	204	Τl	Thallium 81				162	D	Dysprosium 66		ç	Californium 98													
ents												Zn	Zinc 30	112	р	Cadmium 48	201	Hg	Mercury 80				159	Tb	Terbium 65		BĶ	Berkelium 97													
DATA SHEET The Periodic Table of the Elements											64	CC	Copper 29	108	Ag	Silver 47	197	Au	Gold 79				157	Gd	Gadolinium 64		CB	Curium 96													
DATA SHEET lic Table of th	Group										59	ïZ	Nickel 28	106	Ъd	Palladium 46	195	£	Platinum 78				152	Eu	Europium 63		Am	Americium 95													
DAT. riodic Ta	Gr				1						59	ပိ	Cobalt 27	103	Rh	Rhodium 45	192	Ir	Iridium 77				150	Sm	Samarium 62			Plutonium 94													
The Pe			- I	Hydrogen 1							56	Бе	lron 26	101	Вu	Ruthenium 44	190	S	Osmium 76					Pm	Promethium 61		dN	Neptunium 93													
											55	Mn	Manganese 25		ц	Technetium 43	186	Re	Rhenium 75				144	PN	Neodymium 60	238	∍	Uranium 92													
											52	ັວ	Chromium 24	96	Mo	Molybdenum 42	184	>	Tungsten 74				141	Pr	Praseodymium 59		Ра	Protactinium 91													
											51	>	Vanadium 23	93	qN	Niobium 41	181	Та	Tantalum 73				140	မီ	Cerium 58	232	Ч	Thorium 90													
											48	F	Titanium 22	91	Z	Zirconium 40	178	Ŧ	Hafnium 72							nic mass	lodi	nic) number													
								[45	Sc	Scandium 21	68		Yttrium 39	139	La	Lanthanum 57 *	227	Actinium	89	1 corioc		001100	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number													
		=			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Ś	Strontium 38	137		Barium 56	226	Radium Radium	88	*58-71 I anthannid cariac	100-103 Actinoid series			××	٩													
		_			2	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Rb	Rubidium 37	133	S	Caesium 55		Francium	87	*58-71	100 103			Key	٩													

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.