

## CHEMISTRY

Paper 1 Multiple Choice

5070/11 October/November 2013 1 hour

Additional Materials: Mu

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB recommended)

## READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 16 printed pages.



- 1 Which process provides the best evidence for the particle theory of matter?
  - A dehydration
  - **B** diffusion
  - **C** filtration
  - D neutralisation
- 2 The results of two tests on a solution **X** are shown.


reagent added	few drops	an excess
aqueous sodium hydroxide	white precipitate	precipitate dissolves
aqueous ammonia	white precipitate	precipitate remains

Which ion is present in solution X?


**A**  $Al^{3+}$  **B**  $Ca^{2+}$  **C**  $Cu^{2+}$  **D**  $Zn^{2+}$ 

**3** A student wanted to follow how the rate of the reaction of sodium sulfite with acid varies with time. The reaction produces gaseous sulfur dioxide.


Which apparatus is **not** suitable?



4 The apparatus shown is used to distil a dilute solution of ethanol in water. [B.P.: ethanol, 78°C; water 100°C]



Which graph shows the change in concentration of the ethanol in the boiling flask as the distillation proceeds?





**5** Aqueous silver nitrate is added to separate solutions of potassium chloride and sodium iodide.


What are the colours of the precipitates formed?


	colour of precipitate formed with chloride	colour of precipitate formed with iodide
Α	white	white
В	white	yellow
С	yellow	white
D	yellow	yellow

- 6 Which substance will **not** conduct electricity at room temperature and pressure?
  - A dilute nitric acid
  - B graphite
  - **C** mercury
  - D sodium chloride
- 7 Which diagram correctly shows the arrangement of the ions in solid sodium chloride?










https://xtremepape.rs/

8 The diagram shows the electrolysis of aqueous sodium chloride and of molten sodium chloride.



Which substance in the diagram has both positive ions and mobile electrons?

- A aqueous sodium chloride
- **B** copper wire
- **C** graphite electrodes
- D molten sodium chloride
- **9** Which statement describes the conversion of magnesium atoms to magnesium ions?
  - **A** The change is reduction, because there has been a gain of electrons.
  - **B** The change is oxidation, because there has been a loss of electrons.
  - **C** The change is reduction, because there has been a loss of electrons.
  - **D** The change is oxidation, because there has been a gain of electrons.

10 The diagram shows the structural formula of the covalent molecule hydrazine,  $N_2H_4$ .



Consider **all** the electrons in a molecule of hydrazine.

total number of total number of

Which description fits the arrangement of these electrons in the molecule?

	total number of electrons involved in bonding	total number of electrons not involved in bonding
Α	5	4
в	5	8
С	10	4
D	10	8

11 Sodium hydrogencarbonate decomposes on heating.

$$2NaHCO_3 \rightarrow Na_2CO_3 + H_2O + CO_2$$

In an experiment, a 5.0 mol sample of sodium hydrogencarbonate is heated.

Which volume of carbon dioxide, measured at room temperature and pressure, is evolved?

**A**  $24 \text{ dm}^3$  **B**  $36 \text{ dm}^3$  **C**  $48 \text{ dm}^3$  **D**  $60 \text{ dm}^3$ 

12 Nitrogen and oxygen react according to the equation.

 $N_2(g) + 2O_2(g) \rightarrow 2NO_2(g)$ 

The enthalpy change for the reaction shown is +66 kJ.

If two moles of nitrogen and two moles of oxygen are used, what will be the enthalpy change?


**A** +16.5 kJ **B** +33 kJ **C** +66 kJ **D** +132 kJ


- **13** Which statement about the four gases carbon dioxide, CO<sub>2</sub>, hydrogen, H<sub>2</sub>, oxygen, O<sub>2</sub> and ozone, O<sub>3</sub> is correct?
  - A One mole of each gas occupies the same volume at a given temperature and pressure.
  - **B** Ozone has the fastest rate of diffusion at a given temperature and pressure.
  - **C** They are all denser than air.
  - **D** They are all elements.

- 14 When dilute sulfuric acid is electrolysed between inert electrodes, which statements are correct?
  - Hydrogen is released at the negative electrode. 1
  - 2 Oxygen is released at the positive electrode.
  - 3 Sulfur dioxide is released at the positive electrode.
  - 4 The acid becomes more concentrated.

1, 2 and 4 В 1 and 2 only С 2 and 3 **D** 3 and 4 Α

15 When electrolysed using inert electrodes, which dilute solution would produce the greatest increase in mass of the cathode? [A<sub>r</sub>: Al, 27; Cu, 64; Pb, 207; Ag, 108]





**16** The formation of liquid water from hydrogen and oxygen is thought to occur in three stages.

$$1 \quad 2H_2(g) \ + \ O_2(g) \ \rightarrow \ 4H(g) \ + \ 2O(g)$$

$$2 \quad 4H(g) + 2O(g) \rightarrow 2H_2O(g)$$

3  $2H_2O(g) \rightarrow 2H_2O(I)$ 

Which stages would be exothermic?

**17** When bismuth(III) chloride, BiC $l_3$ , is added to water, a white precipitate of BiOCl is formed.

 $BiCl_3(aq) + H_2O(I) \rightleftharpoons BiOCl(s) + 2HCl(aq)$ 

If this reversible reaction is at equilibrium and hydrochloric acid is added, what will happen?

- **A** The position of equilibrium moves to the left and more white precipitate is formed.
- **B** The position of equilibrium moves to the left and the white precipitate disappears.
- **C** The position of equilibrium moves to the right and more white precipitate is formed.
- **D** The position of equilibrium moves to the right and the white precipitate disappears.
- **18** Which colour change occurs when ethanol is added to a small quantity of warm, acidified potassium dichromate(VI)?
  - A orange to colourless
  - B orange to green
  - **C** purple to colourless
  - D purple to green
- **19** Sulfur and selenium, Se, are in the same group of the Periodic Table.


From this, we would expect selenium to form compounds having the formulae

- **A** Se<sub>2</sub>O, Na<sub>2</sub>Se and NaSeO<sub>4</sub>.
- **B** SeO<sub>2</sub>, Na<sub>2</sub>Se and NaSeO<sub>4</sub>.
- **C** SeO<sub>2</sub>, Na<sub>2</sub>Se and Na<sub>2</sub>SeO<sub>4</sub>.
- **D** SeO<sub>3</sub>, NaSe and NaSeO<sub>4</sub>.
- 20 When the product of a reaction between two gases is added to water, a solution of pH7 is formed.

Which could be these gases?

- A hydrogen and chlorine
- B hydrogen and nitrogen
- C hydrogen and oxygen
- **D** oxygen and carbon monoxide

**21** When pure gas **X** was passed through the apparatus shown, the copper(II) oxide turned pink and the limewater stayed colourless.



## What is gas X?

- A carbon dioxide
- B carbon monoxide
- **C** hydrogen
- D nitrogen
- 22 Which reagent is added to aqueous potassium chloride to prepare lead chloride?
  - A aqueous lead nitrate
  - B lead
  - C lead carbonate
  - D lead sulfate
- 23 Which change in the properties of the halogens is not correct?


	chlorine $\rightarrow$ bromine $\rightarrow$ iodine
Α	darker in colour
В	decrease in melting point
С	decrease in rate of diffusion
D	increase in density

- **24** *W*, *X* and *Y* are elements in the same period of the Periodic Table.
  - X forms compounds of formulae XCl<sub>2</sub> and XCl<sub>3</sub>.
  - Y forms a solution of pH12 when it reacts with water.
  - The reaction of *W* with water is similar to the reaction of Y with water but is less vigorous.

In which order are the elements in the Periodic Table?

	left to right along a period
Α	$W \rightarrow Y \rightarrow X$
в	$X \rightarrow W \rightarrow Y$
С	$X \rightarrow Y \rightarrow W$
D	$Y \to W \to X$

25 The diagram shows the structure of an alloy.



Which statement about alloys is correct?

- A Alloys can only be formed by mixing copper or iron with other metals.
- **B** High carbon steel alloys are soft and easily shaped.
- **C** In an alloy there is attraction between positive ions and delocalised electrons.
- **D** The alloy brass has a chemical formula.
- 26 The metals iron, lead and zinc can be manufactured by the reduction of their oxides with coke.


What is the correct order of the ease of reduction of the metal oxides?

	oxides become more difficult to reduce
Α	iron $\rightarrow$ lead $\rightarrow$ zinc
в	iron $\rightarrow$ zinc $\rightarrow$ lead
С	lead $\rightarrow$ iron $\rightarrow$ zinc
D	zinc $\rightarrow$ iron $\rightarrow$ lead

27 Aluminium is manufactured by the electrolysis of molten aluminium oxide.

Which gas is not formed during this process?

- A carbon dioxide
- B carbon monoxide
- C oxygen
- D sulfur dioxide
- **28** Which diagram correctly illustrates the conditions necessary for the rusting of iron and also the metal that can be used to prevent rusting by sacrificial protection?



29 Metals usually occur in their ore combined with another element.

Which metal is least likely to occur combined with another element?

- A aluminium
- B calcium
- C magnesium
- D silver

**30** The noble gases, argon, helium, krypton and xenon, are present in air.

Which noble gas is present in the largest proportion?

- A argon
- B helium
- **C** krypton
- D xenon
- **31** The following stages happen during eutrophication.
  - 1 increase in growth of algae
  - 2 increase in nitrate concentration
  - 3 death of aquatic plants
  - 4 decrease in dissolved oxygen

In which order do these stages occur?

- $\mathbf{A} \quad \mathbf{1} \to \mathbf{2} \to \mathbf{3} \to \mathbf{4}$
- **B**  $1 \rightarrow 2 \rightarrow 4 \rightarrow 3$
- $\textbf{C} \quad 2 \rightarrow 1 \rightarrow 3 \rightarrow 4$
- $\textbf{D} \quad 2 \rightarrow 1 \rightarrow 4 \rightarrow 3$
- 32 Which gas will react with ozone in the upper atmosphere of the Earth?

**A**  $CF_2Cl_2$  **B**  $CH_4$  **C**  $CO_2$  **D**  $SO_2$ 


**33** Iron is extracted from iron ore in a blast furnace.

Which solid substances are fed into the top of the blast furnace?

- 1 coke
- 2 cryolite
- 3 limestone

A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

**34** The diagram shows a simplified structure of a fat.



Which compounds in the table have linkages that can be found in this fat? (Do **not** consider C–H or C-C bonds as linkages.)

	ethene	nylon	Terylene
Α	$\checkmark$	$\checkmark$	1
в	$\checkmark$	$\checkmark$	x
С	$\checkmark$	x	1
D	X	$\checkmark$	✓

**35** The solubility of the carboxylic acids in water decreases as the size of the carboxylic acid molecules increases.


Which carboxylic acid is the least soluble in water?

- A butanoic acid
- B ethanoic acid
- C methanoic acid
- D propanoic acid
- **36** Poly(ethene) is the addition polymer formed from the monomer ethene.

Which statement is correct?

- A Poly(ethene) can be disposed of by burning this produces carbon dioxide and water.
- **B** Poly(ethene) decolourises bromine water.
- **C** Poly(ethene) has the empirical formula  $C_2H_4$ .
- **D** Poly(ethene) is acted upon by bacteria so that it decomposes quickly when in a landfill site.

**37** The diagram shows the fractionation of crude oil.



Which row explains why fraction R is collected above fraction S?

	boiling point of <b>R</b>	average molecular mass of <b>R</b>
Α	higher than <b>S</b>	greater than <b>S</b>
в	higher than <b>S</b>	smaller than <b>S</b>
С	lower than <b>S</b>	greater than <b>S</b>
D	lower than <b>S</b>	smaller than <b>S</b>

**38** In the manufacture of ethanoic acid, the chemical industry uses the following sequence of reactions.


compound **X**  $\xrightarrow{1}$  ethene  $\xrightarrow{2}$  ethanol  $\xrightarrow{3}$  ethanoic acid


What are the three processes?


	1	2	3
Α	cracking	hydration	oxidation
в	cracking	polymerisation	hydration
С	hydration	polymerisation	oxidation
D	polymerisation	oxidation	hydration

**39** Esters are formed when an alcohol reacts with a carboxylic acid.

Which ester would be formed using the carboxylic acid and alcohol shown?









-Ç-


н

-OH



Α





Н

- 40 Which equation represents a combustion reaction?
  - $\textbf{A} \quad C_2H_4 \ \textbf{+} \ H_2O \ \rightarrow \ C_2H_5OH$
  - $\textbf{B} \quad C_2H_5OH \ \textbf{+} \ O_2 \ \rightarrow \ CH_3CO_2H \ \textbf{+} \ H_2O$
  - $\textbf{C} \quad CH_3CO_2H \ \textbf{+} \ 2O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ 2H_2O_2$
  - $CH_{3}CO_{2}H + CH_{3}OH \rightarrow CH_{3}CO_{2}CH_{3} + H_{2}O$ D

						Ū	Group			-					
										≡	≥	>	⋝	=	0
					Hydrogen										4 Helium 2
										1	12	14	16	19	20
										ß	с	Z	0	LL i	Ne
										5 Boron	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	10 Neon
										27	28	31	32	35.5	40
										٩l	Si	₽.	S	Cl	Ar
										Auminium 13	Silicon 14	Phosphorus 15	Sulfur 16	Chlorine 17	Argon 18
45	48	51	52	55	56	26	59	64	65	70	73	75	79	80	84
Sc		>	ບັ	Mn	Fe	ပိ	Ż	Cu	Zn	Ga	9 Ge	As	Se	Br	Ъ
Scandium 1	n Titanium 22	Vanadium 23	Chromium 24	Manganese 25	lron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
89	91	93	96		101	103	106	108	112	115	119	122	128	127	131
≻		qN	Mo	Цс	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	н	Xe
Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	50 Tin	Antimony 51	Tellurium 52	lodine 53	Xenon 54
139	178	181	184	186	190	192	195	197	201	204	207	209			
La		Та	≥	Re	Os	ŗ	£	Au	Hg	11	Pb	<u>B</u>	Ро	At	Rn
Lanthanum 57 *	m Hafnium * 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	1ridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86
227															
Ac															
Actinium	_+														
*58-71 Lanthanoid series		140	141	144		150	152	157	159	162	165	167	169	173	175
190-103 Actinoid series		မီ	Pr	Nd	Pm	Sm	Eu	Вd	τp	Ŋ	ĥ	ц	Д	٩۲	Lu
		Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71
tive.	a = relative atomic mass	232		238											
mic ;	X = atomic symbol	ЧT	Ра		ЧN		Am	Cm	BĶ	ç	Es	Fm	Md	٥N	۲
?) uc	b = proton (atomic) number	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

5070/11/O/N/13

© UCLES 2013

https://xtremepape.rs/

DATA SHEET Periodic Table of the