

Cambridge International Examinations Cambridge Ordinary Level

CHEMISTRY 5070/31

Paper 3 Practical Test

October/November 2016

MARK SCHEME
Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



[Turn over

© UCLES 2016

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2016	5070	31

Question	Answer	Marks	Guidance
1(a)	Titration	12	
	Measurements (1) Both readings, i.e. initial and final are present for each titration and readings are recorded to 1dp.		Reject final readings in excess of 50 Reject initial readings of 50
	Titres (1) All the titres are calculated correctly, i.e. no subtraction errors		
	Accuracy (6) For the two best titres give: 3 marks for a titre within 0.2 cm³ of the Supervisor's value. 2 marks for a titre within 0.3 cm³ of the Supervisor's value. 1 mark for a titre within 0.4 cm³ of the Supervisor's value.		Accuracy marks are awarded using the candidate's correct values.
	Concordance (3) Give 3 marks if all the ticked values are within 0.2 cm ³ . Give 2 marks if all the ticked values are within 0.3 cm ³ . Give 1 marks if all the ticked values are within 0.4 cm ³ .		Concordance marks are awarded using the uncorrected titres.
	Average (1) Give 1 mark for calculating the correct average of selected titres.		
1(b)	Assuming a pipette volume of 25 cm ³ and the average volume of P used = 19.8 cm ³ :	1	
	Mole of iron(II) sulfate in the average volume = $(25.0 \times 0.0800)/1000$ = 0.002		
1(c)	Answer from (b)/5 = 0.002/5 = 0.0004	1	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2016	5070	31

Question	Answer	Marks	Guidance
1(d)	Answer from (c) × 250/average volume of P = 0.0004 × 250 / 19.8 = 0.00505	1	
1(e)	Answer from (d) \times 55 = 0.00505 \times 55 = 0.278 g	1	
1(f)	Answer from (e) × 100/2.12 = 0.278 × 100/2.12 = 13.1%	1	

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2016	5070	31

Question	Answer	Marks	Guidance		
Question 2	Question 2 General points				
R is nitric aci	R is nitric acid S is calcium carbonate				
For ppt: accept solid/suspension/powder but ignore substance/particles/deposit/residue/sediment/gelatinous/insoluble Ignore cloudy/milky/white/gelatinous solution for ppt forms but accept cloudy/milky/white/gelatinous solution for ppt remains Ignore solution/ppt turns colourless for ppt dissolves but accept clears for ppt dissolves For gases: to gain credit for the name of the gas produced, the test must be at least partially correct. For the evolution of a gas in a liquid accept the observation effervescence/bubbles/fizz/gas vigorously evolved but ignore gas evolved. Solutions: colourless is not equivalent to clear and clear is not equivalent to colourless Marks awarded for conclusions are dependent on correct evidence.					
2 (test 1)	(a) solution turns red or pink (1) (b) solution turns blue (1)	19			
2 (test 2)	gas turns damp red litmus blue (1) ammonia (1)		To score ammonia mark there must be an indication of a test, i.e. a smell of ammonia, alkaline gas, tested with litmus.		
2 (test 3)	(a) solution turns yellow (1) (b) red-brown ppt (1) insoluble in excess (1)				
2 (test 4)	bubbles (1) gas pops with a lighted splint (1) hydrogen (1) piece of metal disappears or dissolves (1)		To score hydrogen mark there must be an indication of a test, i.e. pops (with a splint)		
2 (test 5)	bubbles (1) gas turns limewater milky (1) carbon dioxide (1) solid disappears or dissolves (allow to score 1 if mark missed in test 4)		To score carbon dioxide mark there must be an indication of a test, i.e. tested with limewater.		

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2016	5070	31

Question	Answer	Marks	Guidance
2 (test 6)	white ppt (1) insoluble in excess (1)		
2 (test 7)	no reaction (1)		Accept very slight white ppt
2 (test 8)	gas turns damp red litmus blue (1) ammonia (1) Allow the test and identification of carbon dioxide marks if not awarded in test 5		To score ammonia mark there must be an indication of a test – see test 2.
Conclusions	Cation in \mathbf{R} is H^+ (1) Anion in \mathbf{R} is NO_3^- (1) Cation in \mathbf{S} is Ca^{2+} (1) Anion in \mathbf{S} is CO_3^{2-} (1)	4	Evidence: Test 1(a) red or pink with litmus Test 2 alkaline gas / ammonia In test 6 white ppt remains and in 7 no reaction Carbon dioxide identified in test 5 or 8