

Cambridge International Examinations Cambridge Ordinary Level

CHEMISTRY

904

Paper 1 Multiple Choice

5070/12 October/November 2016 1 hour

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil. Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 15 printed pages and 1 blank page.

- 1 When measured under the same conditions, which gas diffuses at the same rate as nitrogen?
 - A ammonia, NH₃
 - B carbon monoxide, CO
 - **C** ethane, C_2H_6
 - **D** oxygen, O₂
- 2 When calcium carbonate is added to dilute hydrochloric acid, carbon dioxide gas is released.

Three sets of apparatus are shown.



Which sets of apparatus are suitable, together with a stopwatch, for following the rate of this reaction?

A 1, 2 and 3 **B** 1 and 2 only **C** 2 only **D** 2 and 3 only


3 Which statement is correct?

- A Carbon monoxide reduces sodium oxide to sodium.
- **B** During the electrolysis of copper(II) sulfate solution, hydrogen is liberated at the positive electrode.
- **C** Recycling aluminium conserves the Earth's finite supply of haematite.
- **D** Iron oxide is reduced to iron in the blast furnace.

4 Benzene and cyclohexane are both flammable liquids. They are able to mix with each other without separating into two layers. They have very similar boiling points. It is difficult to separate a mixture of these two liquids by fractional distillation.

Why is it difficult to separate a mixture of benzene and cyclohexane by fractional distillation?

- **A** They are both flammable.
- **B** They are both liquids.
- **C** They have very similar boiling points.
- **D** They mix with each other completely.
- **5** The graph gives the melting points (m.p.) of mixtures of lead and tin.



The graph shows that any mixture of lead and tin must have a melting point that is

- **A** above that of tin.
- B below that of lead.
- **C** below that of both tin and lead.
- **D** between that of tin and lead.
- 6 Which statement about chlorine atoms and chloride ions is correct?
 - A They are both isotopes of chlorine.
 - **B** They undergo the same chemical reactions.
 - **C** They have the same number of protons.
 - **D** They have the same physical properties.


Which row correctly describes Q?

| | melting point/°C | electrical conduction of solid Q |
|---|------------------|-------------------------------------|
| Α | 44 | non-conductor |
| в | 98 | conductor |
| С | 660 | conductor |
| D | 714 | non-conductor |

8 A solution containing lead(II) ions is added to a solution containing iodide ions. A yellow precipitate is formed.

What is the equation for the reaction that occurs?

- **A** $Pb^+ + I^- \rightarrow PbI$
- $\textbf{B} \quad \mathsf{Pb}^{\scriptscriptstyle +} \ \textbf{+} \ 2I^{\scriptscriptstyle -} \ \textbf{\rightarrow} \ \mathsf{PbI}_2$
- $\label{eq:constraint} \textbf{C} \quad \mathsf{Pb}^{2^{+}} \ \textbf{+} \ I^{-} \ \textbf{\rightarrow} \ \mathsf{PbI}$
- $\textbf{D} \quad \mathsf{Pb}^{2^{+}} \ \textbf{+} \ 2I^{-} \ \textbf{\rightarrow} \ \mathsf{Pb}I_2$
- **9** Buckminsterfullerene has the chemical formula C₆₀.




buckminsterfullerene

How is the structure of buckminsterfullerene best described?

- **A** a covalent compound
- B an ionic compound
- **C** a polymer
- D molecular

10 Which diagram correctly shows the arrangement of the ions in solid sodium chloride?



11 Aqueous sodium hydroxide is added to a sample of a colourless solution. Aqueous ammonia is added to a separate sample of the colourless solution.

In both cases a white precipitate forms which is soluble in excess reagent.

Which positive ion is present in the solution?

- **A** aluminium
- **B** calcium
- **C** copper(II)
- D zinc
- **12** In an experiment, 1 cm³ of a gaseous hydrocarbon, **Z**, requires 4 cm³ of oxygen for complete combustion to give 3 cm³ of carbon dioxide. All gas volumes are measured at r.t.p.

Which formula represents **Z**?


 $\textbf{A} \quad C_2H_2 \qquad \textbf{B} \quad C_2H_4 \qquad \textbf{C} \quad C_3H_4 \qquad \textbf{D} \quad C_3H_8$

- 13 Which is the best conductor of electricity?
 - A diamond
 - B magnesium
 - **C** pure ethanoic acid
 - **D** solid sodium chloride
- 14 Molten salts of four metals are electrolysed.

The ions of which metal require the smallest number of electrons for one mole of atoms to be liberated during electrolysis?

- A aluminium
- **B** calcium
- **C** iron
- D sodium
- **15** An endothermic reaction has an activation energy of *x*.

Which energy profile diagram is correct for this reaction?



- **16** The following statements refer to the use of catalysts in chemical reactions.
 - 1 A catalyst increases the activation energy of a reaction.
 - 2 A catalyst increases the rate of a reaction.
 - 3 A catalyst increases the yield of a reaction.

Which statements are correct?


| Α | 1, 2 and 3 | В | 2 and 3 only | С | 2 only | D 3 only |
|---|------------|---|--------------|---|--------|----------|
|---|------------|---|--------------|---|--------|----------|

17 In two experiments, 1 and 2, an excess of powdered calcium carbonate was reacted in a flask with dilute hydrochloric acid.

In experiment 1, the carbon dioxide evolved was collected and the volume of gas measured at regular intervals.

In experiment 2, the mass of the flask and its contents was measured at regular intervals.

The results of both experiments were plotted on graphs.



Which graphs correctly show the results of these two experiments?

| | experiment 1 | experiment 2 |
|---|--------------|--------------|
| Α | W | Y |
| в | W | Z |
| С | х | Y |
| D | х | Z |

- 8
- **18** Iron(II) ions react with chlorine.

$$2Fe^{2+}(aq) + Cl_2(g) \rightarrow 2Fe^{3+}(aq) + 2Cl^{-}(aq)$$

Which statement about this reaction is correct?

- **A** Chlorine is reduced by iron(II) ions.
- **B** Chlorine is the reducing agent.
- **C** Iron(II) ions are reduced by chlorine.
- **D** Iron(II) ions are the oxidising agent.
- **19** When water is liquid, it ionises slightly.

 $H_2O(I) \rightleftharpoons H^+(aq) + OH^-(aq)$

The forward reaction is endothermic.

When the temperature of water is increased, which change(s) take place?

- 1 The water becomes acidic.
- 2 The water becomes alkaline.
- 3 More water molecules form ions.
- A 1 and 3 B 1 only C 2 and 3 D 3 only
- 20 The table shows some properties of four metal chlorides.

Which row is magnesium chloride?

| | colour | solubility in water | method of preparation |
|---|--------|---------------------|-----------------------|
| Α | green | insoluble | precipitation |
| в | green | soluble | metal and acid |
| С | white | insoluble | precipitation |
| D | white | soluble | metal and acid |

- 21 Which statement about the uses of metals is not correct?
 - A Aluminium is used for making food containers and electrical cables.
 - **B** Copper is used for making brass.
 - **C** Iron is used as a catalyst in the contact process.
 - **D** Nickel is used as a catalyst in the hydrogenation of alkenes.

22 A lump of element X can be cut by a knife.

During its reaction with water, **X** floats and melts.

What is X?


- A calcium
- B copper
- C magnesium
- D potassium
- **23** Which row is a transition element?

| | melting point/°C | density in g/cm ³ |
|---|---------------------|---------------------------------|
| Α | 44 | 1.82 |
| В | 181 | 0.53 |
| С | 271 | 9.75 |
| D | 1244 | 7.20 |

24 Element *Z* combines with sodium to form the compound Na_2Z .

The positions of four elements are shown on the outline of part of the Periodic Table.


Which is element Z?



| reagent(s) added | observation |
|--|--------------------------|
| aqueous sodium hydroxide | green precipitate formed |
| dilute nitric acid then aqueous barium nitrate | white precipitate formed |

What is Z?

- A copper(II) chloride
- B copper(II) sulfate
- **C** iron(II) chloride
- **D** iron(II) sulfate
- 26 The diagram shows the apparatus used to extract aluminium from aluminium oxide.



Which statement about this process is correct?

- **A** The electrolyte is a solid mixture of aluminium oxide and cryolite.
- **B** The electrolyte is aluminium oxide dissolved in water.
- **C** The equation for the reaction at the positive electrode is $Al^{3+} + 3e^{-} \rightarrow Al$.
- **D** The positive carbon electrodes lose mass during the process and need regular replacement.
- 27 Which reaction is not a redox reaction?
 - $\textbf{A} \quad \text{CaCO}_3 \ \rightarrow \ \text{CaO} \ + \ \text{CO}_2$
 - $\textbf{B} \quad 2C \ \textbf{+} \ O_2 \ \rightarrow \ 2CO$
 - $\textbf{C} \quad C \ + \ CO_2 \ \rightarrow \ 2CO$
 - $\textbf{D} \quad \text{Fe}_2\text{O}_3 \ \textbf{+} \ \textbf{3CO} \ \rightarrow \ \textbf{2Fe} \ \textbf{+} \ \textbf{3CO}_2$

28 Aqueous copper(II) sulfate solution is placed in an iron container and left to stand for several days.


Which statement describes what happens?

- A Atmospheric oxygen reacts with the copper(II) sulfate to give black copper(II) oxide.
- **B** Some fine iron particles are formed in the solution.
- **C** The part of the container in contact with the solution is coated with copper.
- **D** The solution turns from green to blue.
- **29** In the manufacture of paper, sulfur dioxide is used to remove the yellow colour from the wood pulp.

Which term can be used to describe sulfur dioxide in this process?

- A a bleach
- B a catalyst
- **C** an oxidising agent
- D a solvent
- 30 Which statement about the uses of gases is not correct?
 - A Helium is used in balloons because it is unreactive and less dense than air.
 - **B** Hydrogen is used in an addition reaction with saturated vegetable oils to form margarine.
 - **C** Nitrogen from the air is used in the manufacture of ammonia.
 - **D** Oxygen is used in making steel and welding.

31 Electrical energy can be generated using simple cells as shown.




Which pair of metals, when used as electrodes, will give the largest reading on the voltmeter, V?

- A lead and sodium
- B magnesium and copper
- C potassium and silver
- **D** sodium and potassium
- **32** When reacted with an excess of dilute hydrochloric acid, 0.002 moles of a metal M liberated 48 cm^3 of hydrogen measured at r.t.p.

Which equation is correct for this reaction?

- $\mathbf{A} \quad 2M + 2\mathrm{H}^{+} \rightarrow 2M^{+} + \mathrm{H}_{2}$
- $\mathbf{B} \quad M + \mathbf{H}^{+} \rightarrow M^{+} + \mathbf{H}$
- **C** $M + 2H^+ \rightarrow M^{2+} + H_2$
- **D** $M + 2H^+ \rightarrow M^{2+} + 2H$
- **33** The diagram shows a section of a polymer.



Which alkene is used to make this polymer?

- **A** $CH_3CH=CH_2$
- B CH₃CH₂CH=CH₂
- C CH₃CH₂CH=CHCH₃
- D CH₃CH=CHCH₃

34 The table shows some atmospheric pollutants and their possible effects.

Which row is **not** correct?

| | pollutant | effect |
|---|-----------------|------------------------------------|
| Α | CFCs | cause depletion of the ozone layer |
| в | CO ₂ | forms photochemical smog |
| С | СО | is poisonous to humans |
| D | NO ₂ | forms acid rain |


35 Which compound is the most viscous and the least flammable?

| Α | C_6H_{14} | В | C_8H_{18} | С | $C_{10}H_{22}$ | D | $C_{12}H_{26}$ |
|---|-------------|---|-------------|---|----------------|---|----------------|
| | | | | | | | |

36 How many moles of ethanoic acid, CH₃CO₂H, react with one mole of magnesium?

| A 1 | B 2 | C 3 | D 4 |
|------------|------------|------------|------------|
|------------|------------|------------|------------|

- 37 With which substance will ethene react to form more than one product?
 - A argon
 - B hydrogen
 - **C** oxygen
 - D steam
- 38 Which statement about isomers of a compound is always correct?
 - **A** They have different empirical formulae.
 - **B** They have different relative molecular masses.
 - **C** They have only carbon and hydrogen in their molecules.
 - **D** They have the same molecular formula.
- 39 How many of the structures show an unsaturated hydrocarbon molecule?



- 40 Which type of polymer is made by reacting amino acids together?
 - A an addition polymer
 - B a carbohydrate
 - **C** a polyamide
 - D a polyester

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2016

The Periodic Table of Elements

| | _ | | | ۶ | | | | | | | | | | | | | | _ | | | | |
|-------|------|---|----|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----|------------------|-------|-------------|-----------------|--------|-----------|-------------------|
| | III> | 2 | He | heliur 4 | 10 | S | neor 20 | 18 | Ar | argon 40 | 36 | Y | kryptc 84 | 54 | ×e | xenol 131 | 86 | Å | rador - | | | |
| | ! | | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | Ŗ | bromine 80 | 53 | Ι | iodine 127 | 85 | At | astatine - | | | |
| | ١٨ | | | | 80 | 0 | oxygen 16 | 16 | S | sulfur 32 | 34 | Se | selenium 79 | 52 | Те | tellurium 128 | 84 | Ро | polonium – | 116 | Ľ | livermorium - |
| | > | | | | 7 | z | nitrogen 14 | 15 | ٩ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | E | bismuth 209 | | | |
| | 2 | | | | 9 | U | carbon 12 | 14 | Si | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | РЬ | lead 207 | 114 | Γl | flerovium - |
| | ≡ | | | | 5 | Ш | boron 11 | 13 | Al | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | 11 | thallium 204 | | | |
| | | | | | | | | | | | 30 | Zn | zinc 65 | 48 | Сq | cadmium 112 | 80 | Hg | mercury 201 | 112 | C | copemicium - |
| | | | | | | | | | | | 29 | Cu | copper 64 | 47 | Ag | silver 108 | 79 | Au | gold 197 | 111 | Rg | roentgenium - |
| dno | | | | | | | | | | | 28 | ïZ | nickel 59 | 46 | Pd | palladium 106 | 78 | ħ | platinum 195 | 110 | Ds | darmstadtium |
| Group | | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | Rh | rhodium 103 | 77 | Ir | iridium 192 | 109 | Mt | meitnerium - |
| | | - | т | hydrogen 1 | | | | | | | 26 | Ее | iron 56 | 44 | Ru | ruthenium 101 | 76 | SO | osmium 190 | 108 | Hs | hassium - |
| | | | | | _ | | | | | | 25 | Mn | manganese 55 | 43 | Ц | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium – |
| | | | | | | bol | SS | | | | 24 | ŗ | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium |
| | | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Та | tantalum 181 | 105 | Db | dubnium – |
| | | | | | | ato | rels | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ŧ | hafnium 178 | 104 | ł | rutherfordium |
| | | | | | | | | | | | 21 | လိ | scandium 45 | 39 | ≻ | yttrium 89 | 57-71 | lanthanoids | | 89-103 | actinoids | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Ś | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium - |
| | _ | | | | ю | : | lithium 7 | 11 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | л Ц | francium - |
| | | | | | I | | | 1 | | | 1 | | | 1 | | | 1 | | | 1 | | |

16

| | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
|-------------|-----------|---------|--------------|-----------|------------|-----------|-----------|------------|-----------|-------------|-------------|---------|-------------|-----------|------------|
| lanthanoids | La | Ce | ŗ | Νd | Pm | Sm | Eu | Gd | Tb | D | Ч | ц | Tm | Υb | Lu |
| | lanthanum | cerium | praseodymium | neodymium | promethium | samarium | europium | gadolinium | terbium | dysprosium | holmium | erbium | thulium | ytterbium | lutetium |
| | 139 | 140 | 141 | 144 | I | 150 | 152 | 157 | 159 | 163 | 165 | 167 | 169 | 173 | 175 |
| | 89 | 06 | 91 | 92 | 93 | 94 | 96 | 96 | 97 | 98 | 66 | 100 | 101 | 102 | 103 |
| actinoids | Ac | Th | Ра | ⊃ | Np | Pu | Am | CB | 剐 | ç | Es | Еm | Md | No | Ļ |
| | actinium | thorium | protactinium | uranium | neptunium | plutonium | americium | curium | berkelium | californium | einsteinium | fermium | mendelevium | nobelium | lawrencium |
| | I | 232 | 231 | 238 | I | I | I | I | I | I | I | I | I | I | I |
| | | | | | | | | | | | | | | | |

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.)

© UCLES 2016

5070/12/O/N/16